

Division Managers

Arkansas City

J.C. MATHIES Trainmaster (316) 441-2286
C.A. ADAMS Road Foreman (316) 441-2288
L.M. TRIMBLE Roadmaster (316) 441-2276

Augusta

C.E. KITCH Asst. Roadmaster (316) 775-2101
P.E. ZENNER Roadmaster (316) 284-3476

Dodge City

R.E. BLECHA Trainmaster (316) 227-5961
S. VEGA Roadmaster (316) 227-5968

Emporia

T.L. BRAZIER Roadmaster (316) 341-7250
W.W. COESTER Roadmaster (316) 341-7252

Gainesville

..... Trainmaster/Road Foreman (940) 668-3016

Lawton

H.E. JONES Roadmaster (405) 636-5572

Kansas City

S. COUNTS Road Foreman (913) 551-4227
R.M. GIRRENS Dir. Administration (913) 551-4235
A.A. HERTOG Mgr. Safety and Rules (913) 551-4255
D.L. KITCHEN Division Engineer (913) 551-4413
J.M. PUHL General Foreman (913) 551-4391
D.L. RAY Supt. Operations (913) 551-4276
W.F. SWITZER Asst. Division Engineer (913) 551-4481
R.D. TOLIVER Trainmaster (913) 551-4417

Newton

M.A. BERNARD Road Foreman (316) 284-3465
C.M. DONIGIAN General Foreman (316) 284-3261
R.D. KIMBERLIN Terminal Manager (316) 284-3222
D.L. MAI Supt. Operations (316) 284-3487
..... Trainmaster (316) 284-3434
R.L. RAMSEY Roadmaster

Oklahoma City

T.D. COLLEY Equipment Supervisor (405) 670-7658
K.L. EALEY Trainmaster (405) 670-7686
M.L. ELKINS Supt. Operations (405) 670-7675
R.D. HONEYCUTT Roadmaster (405) 670-7688
D.F. KAPLAN General Foreman (405) 670-7659
L.M. MATTS Terminal Trainmaster (405) 670-7684
R.J. SHERMAN Terminal Manager (405) 670-7685

BNSF



Kansas Division

Timetable No. 4

IN EFFECT AT 0001

Central Continental Time


Sunday, December 19, 1999

Division Superintendent

S.L. Weatherby

Kansas City, Kansas

(913) 551-4277



The Burlington Northern and Santa Fe Railway Company

Kansas Division

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Arkansas City Subdivision MAIN LINE STATIONS		Rule 4.3	Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
		61100	185.1	NEWTON	JX(2)PT		3MT CTC	7400	0.5	
			185.6	FIRST ST.					2.4	
			188.0	McGRAW					3.2	
	6,628	54735	191.2	PUTNAM			CTC		4.0	
	7,526	54730	195.2	SEDGWICK					6.6	
	6,710	54725	201.8	VALLEY CENTER					7.3	
		54700	209.1	WICHITA	BP				1.0	
			210.1	UP RR	A		DT ABS		1.6	
			211.7	NORTH JCT.	JX(2)				0.6	
		54710	212.3	WICHITA U.S.			WUT Ry 2MT CTC		0.9	
			213.2	SOUTH JCT.	JX(2)			4.2		
	6,616		217.4	CONNELL			CTC	5.6		
	6,872	54640	223.0	DERBY				4.2		
			227.2	CP 295	JX(2)		3MT CTC	0.8		
	E 8,975 W2,100	54620	228.0	CP 294 (Mulvane)	JX(2)T			10.8		
	6,156	54660	238.8	UDALL				10.9		
		54895	249.7	WN JCT.	JX(2)		CTC	0.1		
	9,294	54900	249.8	WINFIELD				6.3		
	8,023	52720	256.1	HACKNEY				7.3		
	E7,000 W9,900	52700	263.4	ARKANSAS CITY	BPT			78.3		

RADIO COMMUNICATION	Tone Call-In				
	CH	DS	MC	CQS	EMER
McGraw to Arkansas City	32	1	4	5&7	9
MP 504.3 to MP 515.3	85	-	-	-	911

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431

Dispatcher—(817) 234-2321, Fax (817) 234-2421

1. Speed Regulations

1(A). Speed—Maximum

- Newton to CP 295 55 MPH.%
- CP 295 to WN Jct 25 MPH.
- WN Jct. to Arkansas City 55 MPH.%

1(B). Speed—Permanent Restrictions

- Newton, main tracks between UP RR,
 - MP 184.6 and MP 186.1 20 MPH.
 - MP 185.7 to MP 186.7 40 MPH.
 - MP 194.5 to MP 195.6 (HER) 30 MPH.
 - MP 201.1 to MP 202.0 (HER) 45 MPH.
 - MP 207.7 to MP 210.1 40 MPH.
 - MP 210.1 to MP 213.3 30 MPH.
 - MP 213.3 to MP 215.6 45 MPH.
 - MP 222.5 to MP 223.0 (HER) 45 MPH.
 - MP 227.2 to MP 228.0, Main 1 and Main 3 25 MPH.
 - MP 227.2 to MP 228.0, Main 2 30 MPH.
 - MP 249.5 to MP 253.5 30 MPH.
 - MP 259.7 to MP 261.2 40 MPH.
 - MP 262.7 to MP 263.4 20 MPH.

1(C). Speed—Switches and Turnouts

- MP 185.6, crossovers and turnouts,
 - Less than 100 TOB 30 MPH.
 - 100 TOB and over 25 MPH.
- MP 188.0, turnout from or to McGraw Lead 10 MPH.
- MP 191.2, MP 195.2 and MP 201.8, both ends siding 25 MPH.
- MP 201.9, Valley Center Industrial Spur 10 MPH.

- MP 207.8, east end double track, westward
 - Less than 100 TOB 40 MPH.
 - 100 TOB and over 25 MPH.
- MP 211.7, turnout to independent track 10 MPH.
- MP 211.7, (WUT Ry.), main track, crossovers and turnouts
 - Less than 100 TOB 30 MPH.
 - 100 TOB and over 25 MPH.
- MP 213.2, (WUT Ry.), main track, crossovers and turnouts
 - Less than 100 TOB 30 MPH.
 - 100 TOB and over 25 MPH.
- MP 217.4 and MP 223.0, both ends siding 25 MPH.
- MP 225.3, east end Arkansas City Subdivision Siding 30 MPH.
- MP 227.2, turnouts and crossovers
 - Less than 100 TOB 30 MPH.
 - 100 TOB and over 25 MPH.
- MP 228.0, turnouts and crossovers
 - Less than 100 TOB 30 MPH.
 - 100 TOB and over 25 MPH.
- MP 228.0, both ends, Emporia Subdivision Siding 10 MPH.
- MP 228.0, turnout to west end yard lead 10 MPH.
- MP 228.6, west end Ark City Sub Siding 25 MPH.
- MP 238.8, both ends siding 25 MPH.
- MP 249.7, crossovers and both ends siding
 - Less than 100 TOB 30 MPH.
 - 100 TOB and over 25 MPH.
- MP 249.7, turnout to Douglass Subdivision 25 MPH.
- MP 249.7, turnouts to yard lead and SKOL RR 10 MPH.
- MP 256.1, both ends siding
 - Less than 100 TOB 40 MPH.
 - 100 TOB and over 25 MPH.
- MP 261.3, east end siding
 - Less than 100 TOB 40 MPH.
 - 100 TOB and over 25 MPH.
- MP 262.3, east end yard lead (spring switch) 10 MPH.
- MP 262.6, crossover 20 MPH.

1(D). Speed—Other

- Winfield, on all yard tracks 10 MPH.
- Arkansas City, east siding between MP 262.6 and MP 263.4 20 MPH.
- MP 504.1 to MP 514.7 (former Wichita Subdivision) 10 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following location:

MP 216.0 to MP 225.5

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB and Over
100 to 109 degrees F	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.
110 degrees F and over	Restricted speed from 1100 hrs. to 2000 hrs. unless track inspected after 1400 hrs., then 30 MPH, observing existing restrictions.	Restricted speed from 1100 hrs. to 2000 hrs. unless track inspected after 1400 hrs., then 30 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions

Maximum Gross Weight of Car

- Newton to Arkansas City 143 tons, Restriction B
- MP 504.1 to MP 507.5 (former Wichita Subdivision) 134 tons, Restriction G
- MP 507.5 to MP 514.7 (former Wichita Subdivision) 131.5 tons, Restriction H

Six-axle locomotives and six-axle derricks are not permitted: Between MP 504.1 and MP 514.7 (former Wichita Subdivision)

3. Type of Operation

CTC—in effect:

All main tracks between MP 185.1 and MP 185.6.
 All main tracks and sidings MP 185.6 to MP 207.8 and MP 211.7 to MP 263.4, except on Track 198 between MP 262.6 and MP 263.4.

ABS—in effect:

On double track between MP 207.8 and MP 211.7.

Restricted Limits—in effect:

Between MP 504.1 to MP 514.7 (former Wichita Subdivision).

Rule 9.14—in effect:

Westward on Main 1—MP 207.9 to MP 211.7
 Eastward on Main 2—MP 211.7 to MP 207.9

Rule 9.15—Track permits are authorized at locations listed in Rule 9.14 above, but do not apply within interlocking limits at MP 210.1. Comply with Rule 9.12.3 at this automatic interlocking.

Signals Not Conforming to Aspects and Indications Shown in the System Special Instructions

Aspect	Name	Indication
Red Over Flashing Yellow	Diverging Approach (Rule 9.1.11 does not apply.)	Proceed through diverging route; prescribed speed through turnout; approach next signal preparing to stop, if exceeding 40 MPH immediately reduce to that speed.

4. General Code of Operating Rules Items

Rule 1.14—Wichita-Lost Springs—BNSF trains will use UP tracks between Wichita and Lost Springs (63.3 miles).

Wichita-Arkansas City

Wichita—BNSF trains will use Wichita Union Terminal (WUT) Ry. Co. tracks between North Jct. and South Jct.

Between MP 227.2 and MP 228.0—Emporia Subdivision trains will use Arkansas City Subdivision.

Arkansas City—UP trains will use BNSF tracks between Wichita and Arkansas City.

Rule 5.5—Permanent speed signs are not displayed for movements against the current of traffic.

Rule 6.19—When flagging is required, distance will be 2 miles.

5. Trackside Warning Detectors (TWD)

- A. Protecting bridges, tunnels or other structures: None
- B. Other TWD locations
 - MP 197.5—Recall Code 8
 - MP 220.0—Recall Code 8
 - MP 236.5—Recall Code 0
 - MP 253.0—Recall Code 8

6. FRA Excepted Track

Location	Track No.	Track Name
Putnam	9101	Elevator Track
Sedgwick	9501	Elevator Track
Wichita	120	Eastbound Roundhouse
	123	Middle Rail
	124	Outbound Track
	125	Storehouse Track
	126	Horn Track
	161	Container Track
	162	Rip 2
	163	Boeing Storage
	164	Boeing Storage
	203	Lead Track

Wichita	204	Love Box
	205	33rd St. Team
	207	33rd St. Lead
	208	Vliet Carpet
	209	National Steel
	210	Lead Track
	211	Wichita Warehouse
	212	Service Transfer
	213	McKess Chemical
	214	McKess Chemical
	215	Fleming Track
	216	Fleming Track
	217	Love Box
	219	Hayes Forest Products
	223	Coleman N Plant
	234	Love Box
	301	Ralston Purina
	302	Ralston Purina
	320	Team Track
	328	Steffens Dairy
	404	Lead Track
	408	Boge Iron
	423	Boge Iron
	503	Walt Keeler
	506	Ind. Canvas
	507	A&B Sales
	508	Cains Coffee
	509	Ind. Uniform
	510	Eagle Beacon
	520	Long Runaround
	521	Stannard Constr.
	522	Coleman Transfer

MP 510.0 to End of Track (former Wichita Subdivision).

7. Special Conditions

Newton—Westward Arkansas City Subdivision trains or engines will not leave Sand Creek Yard via McGraw Lead until white train departure light, located west of McGraw Jct. switch, is displayed or authority is received from the train dispatcher.

Putnam—On CTC siding, approach all public crossings protected by automatic crossing devices prepared to stop until it is known that such devices are activated. If the devices are not activated, a member of the crew must protect the crossing.

Wichita—Independent track between Wichita and North Jct. is the first track east (geographically) of Main 2 and will be used by trains and engines as instructed by the train dispatcher. Eastward movements may be authorized by signal indication at North Jct.

Absolute signals at North Jct. and South Jct. are controlled by the BNSF train dispatcher.

Except as provided above, crews on trains and engines operating over tracks of the Wichita Union Terminal Railway Company will be governed by rules and regulations of their respective company.

CP 295 to CP 294—Main tracks are designated as follows:
 Main 1—Old Ark City Sub Siding
 Main 2—Old Emporia Sub Main Track (NT)
 Main 3—Old Ark City Sub Main Track (closest to depot)

Mulvane—East end track 2801 should be left lined for 2802.

Winfield—Only one four-axle unit will be allowed on CLIC tracks 7401-7410.

At Winfield, between SKOL connection (MP 246.5) and WN Jct., BNSF trackage is identified as Winfield Industrial Spur.

Rule 6.28 is in effect; speed limit is 10 MPH. SKOL RR trains use BNSF tracks between connection and west side WN Jct. and are governed by BNSF Timetable and System Special Instructions.

Hackney—Use only one four-axle unit while switching track 603 and beyond.

Former Wichita Subdivision—At the following crossing, traffic must be warned by a crew member on the ground at the crossing unless the crossing device has been operating long enough to provide warning.

MP 508.3—37th Street North—Wichita

Arkansas City—Conductor of crew going on duty at Arkansas City will call UP train dispatcher at Omaha, Nebraska, 1-800-726-1121, to operate on UP between Wichita and Lost Springs. Track warrants and bulletin books are located at above locations. Use Radio Channel 42 on UP.

Track 132 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Crews operating west of MP 263.4 are required to receive track bulletins from the Red Rock Subdivision train dispatcher for any restrictions at Arkansas City.

Test Miles—Test mile signs have been placed at MP 256 westbound and MP 258 eastbound.

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:

MP 187.8 to MP 188.0

MP 189.4

MP 197.0 to MP 198.0

8. Line Segments

Yard Line Segments

Line Segment Limits

7450 N. Wichita Yard

7451 Arkansas City Yard

1107 MP 501.1 to MP 514.7
(former Wichita Subdivision)

Road Line Segments

Line Segment Limits

7400 Newton to Arkansas City

9. Locations Not Shown as Stations—None

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Chickasha Subdivision MAIN LINE STATIONS		Rule 4.3	Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
		96540	536.4	OKLAHOMA CITY		BJTR	TWC	1003		14.2
4,058	96554	553.9	MUSTANG							13.6
5,174	96567	567.5	SOONER							13.3
	96581	580.8	CHICKASHA	A						24.1
5,788	96605	604.9	CYRIL							5.7
	96611	610.6	FLETCHER							14.8
	96626	625.4	FORT SILL	T						4.8
2,604	96630	630.2	LAWTON	BR						6.6
	96637	636.8	EAGLE	R						7.1
	96644	643.9	CACHE							20.5
	96664	664.4	SNYDER	UJR						22.8
1,692	96687	687.2	ALTUS	Rg						22.2
	96709	709.4	ELDORADO							13.9
	40527	723.3	QUANAH	BJTR						183.6

Radio Channel No. 39 in service.

Radio Call-In		
Tuttle - 79(X)	Chickasha - 81(X)	Cyril - 82(X)
Lawton - 84(X)	Snyder - 71(X)	Eldorado - 72(X)
Altus - 73(X)		
Emergency - Call 911		
For Dispatcher X=0, For Mechanical X=2, For Field Support X=3		

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-6158, Fax (817) 234-6419
 Dispatcher—(817) 234-6151, Fax (817) 234-6411

1. Maximum Speed Permitted

1(A). Speed—Maximum

Oklahoma City to Quanah 40 MPH.
 Harmonic rocking at the following locations:
 See System Special Instructions Item 1(A)
 MP 548.9 to MP 558.8
 MP 568.6 to MP 575.5
 MP 580.4 to MP 588.8
 MP 601.9 to MP 672.7
 MP 680.0 to MP 691.1

1(B). Speed—Permanent Restrictions

MP 557.8 to MP 557.9 30 MPH.
 MP 568.6 to MP 575.5 25 MPH.
 MP 580.4 to MP 691.0 25 MPH.
 MP 691.0 to MP 723.3 30 MPH.

1(C). Speed—Switches and Turnouts—None

1(D). Speed—Other

Sidings 10 MPH.
 Snyder—Grain Belt Railroad Track 10 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply for the entire subdivision:

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB and Over
100 to 109 degrees F	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.
110 degrees F and over	Restricted speed from 1100 hrs. to 2000 hrs. unless track inspected after 1400 hrs., then 30 MPH, observing existing restrictions.	Restricted speed from 1100 hrs. to 2000 hrs. unless track inspected after 1400 hrs., then 30 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions

Maximum Gross Weight of Car

Oklahoma City to Quanah 134 tons, Restriction G

Six-axle locomotives and six-axle derricks are not permitted on the following tracks:

- Oklahoma City—Dayton Lead
- Altus—Back Spur
- Olustee—Spur and House Tracks
- Eldorado—No. 2 Track

Only one six-axle locomotive or six-axle derrick is permitted on the following tracks:

- Fletcher—Temple Gypsum lead
- Eagle—Goodyear Plant
- Fort Sill—Fort Sill Wye Track

3. Type of Operation

TWC—in effect:
 MP 549.7 to MP 721.7

Restricted Limits—in effect:
 MP 536.4 to MP 549.7
 MP 627.7 to MP 638.3
 MP 663.4 to MP 665.6
 MP 685.0 to MP 689.0
 MP 721.7 to MP 723.3

Interlocking

MP 580.5

RR Crossing Gates

MP 686.6
 MP 688.1

4. General Code of Operating Rules Items

Rule 6.19—When flagging is required, distance will be 2 miles.

5. Trackside Warning Detectors (TWD)

- A. Protecting bridge, tunnels, or other structures: None
- B. Other TWD locations
 MP 565.2—Recall Code 798
 MP 590.8 (DED only) Radio Tone

6. FRA Excepted Track—None

7. Special Conditions

Trains over 100 TOB will not operate through sidings, except when authorized by the chief dispatcher.

Protect Open Switch in effect on this subdivision.

Oklahoma City—Trains and engines operating over UP main track will be governed by Rule 6.13 of the General Code of Operating Rules.

The normal position for the drill track switch and west ladder track switch will be lined and locked for the movement last made.

Fort Sill—Trains and engines operating over UP main track will move at restricted speed, not exceeding 10 MPH. (UP main track is FRA Excepted Track.)

Notify the UPRR train dispatcher at 1-800-726-1121 for conditions that will affect movement over UPRR main track.

Crew member must protect crossing from ground position at following locations

Oklahoma City—SW 29th Street on Dayton Lead.

Snyder—At Farm Rail Railroad crossing, cars or equipment must not be stored on either leg of wye.

Altus—Highway 62 on Air Base Lead.

Use of Dynamic Brakes Prohibited at the Following Locations

Between MP 602.0 and MP 691.0

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:

MP 542.0 to MP 543.0

MP 554.5

MP 555.6 to MP 556.2

MP 559.8 to MP 561.2

MP 574.2 to MP 574.4

MP 575.4

MP 578.8 to MP 579.1

MP 668.3

MP 673.4

MP 677.8

MP 692.0

MP 615.5

8. Line Segments

Road Line Segments

Line Segment Limits

1003 Oklahoma City to Quanah

9. Locations Not Shown as Stations

Name	Miles - Location	Capacity Feet	Switch Opens
96546 Lillard Pk.	5.8 west of Oklahoma City	810	West
96549 Wheatland Team	4.6 east of Mustang	1,350	West
96549 Wheatland House	4.6 east of Mustang	430	West
96563 Tuttle	4.7 east of Sooner	1,000	Both
96586 Sherwin Williams	5.4 west of Chickasha	580	East
96615 Elgin	9.7 west of Cyril	359	East
96652 Indiahoma	8.1 west of Cache	214	East
96670 Long	5.6 west of Snyder	2,268	Both
96676 Headrick	11.2 east of Altus	2,138	Both
96695 Olustee North	8.3 west of Altus	1,538	Both
96695 Olustee South	8.3 west of Altus	2,033	Both

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Douglass Subdivision MAIN LINE STATIONS		Rule 4.3	Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
		55100	185.3	CP 1853	JPT				11.5	
		55080	197.0	DOUGLASS					5.6	
		55070	202.6	ROCK			CTC	7103	6.2	
	7,495	55060	207.0	AKRON					7.2	
	5,833	54895	216.0	WN JCT.	JP				30.5	

Tone Call-In					
RADIO COMMUNICATION	CH	DS	MC	CQS	EMER
CP 1853 to WN JCT.	32	1	4	5&7	9

Train Dispatcher Telephone Numbers
 Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431
 Dispatcher—(817) 234-2321, Fax (817) 234-2421

1. Speed Regulations

1(A). Speed—Maximum

CP 1853 to WN Jct. 55 MPH.%

1(B). Speed—Permanent Restrictions

MP 185.3 to MP 188.7 35 MPH.
 MP 191.7 to MP 191.8 50 MPH.
 MP 197.4 to MP 197.5 50 MPH.
 MP 198.8 to MP 200.0 25 MPH.
 MP 211.2 to MP 211.5 40 MPH.
 MP 215.6 to MP 216.0 25 MPH.

1(C). Speed—Switches and Turnouts

CP 1853, turnout to Emporia Subdivision
 Less than 100 TOB 30 MPH.
 100 TOB and over 25 MPH.
 MP 207.0, both ends siding
 Less than 100 TOB 30 MPH.
 100 TOB and over 25 MPH.
 MP 214.8, east end siding
 Less than 100 TOB 30 MPH.
 100 TOB and over 25 MPH.
 MP 216.0, turnouts to Arkansas City Subdivision 25 MPH.

1(D). Speed—Other

Bridge 195.2, cars heavier than 143 tons 25 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following location:
 MP 185.7 to MP 216.0

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB and Over
100 to 109 degrees F	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.
110 degrees F and over	Maximum 35 MPH, observing existing restrictions.	Maximum 30 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions
Maximum Gross Weight of Car

CP 1853 to WN Jct. 143 tons, Restriction B

3. Type of Operation

CTC—in effect:

On main track and sidings CP 1853 to WN Jct.

Signals Not Conforming to Aspects and Indications Shown in the System Special Instructions

Aspect	Name	Indication
Red Over Flashing Yellow	Diverging Approach (Rule 9.1.11 does not apply.)	Proceed through diverging route; prescribed speed through turnout; approach next signal preparing to stop, if exceeding 40 MPH immediately reduce to that speed.

4. General Code of Operating Rules Items

Rule 6.19—When flagging is required, distance will be 2 miles.

5. Trackside Warning Detectors (TWD)

- A. Protecting bridges, tunnels or other structures: None
- B. Other TWD locations
 MP 198.8—Recall Code 8

6. FRA Excepted Track

Location	Track No.	Track Name
Douglass	3701	Elevator Track

7. Special Conditions

Akron—Track 3101 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Douglass—Track 3701 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:
 MP 186.6 to MP 216.0

8. Line Segments

Road Line Segments

Line Segment	Limits
7103	CP 1853 to WN Jct.

9. Locations Not Shown as Stations—None

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Emporia Subdivision MAIN LINE STATIONS		Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
				Rule 4.3	Rule 4.3				
		63151		KANSAS CITY Amtrak Station	BP	KCT Ry.	8920	1.7	
			1.7	SANTA FE JCT.	X(2)T			1.0	
			2.7	CP 27				0.8	
			3.5	CP 35	X(2)	4MT CTC		0.4	
			3.9	CP 39	X(2)			0.1	
			4.0	CP 40	X(2)R			0.8	
		62000	4.8	ARGENTINE	BCTR			0.7	
			5.5	CP 55	XR	3MT CTC		0.3	
			5.8	CP 58	X(2)R			1.3	
		61950	7.1	TURNER	X(2)R			0.3	
			7.4	CP 74	X(2)R	2MT CTC		1.3	
			8.7	CP 87	X(2)			2.3	
		61940	11.0	MORRIS	X(2)	4MT CTC		2.5	
		61930	13.5	HOLLIDAY	X(2)J			1.3	
			14.8	WEST HOLLIDAY	X(2)	3MT CTC		4.7	
			19.5	CRAIG	X(2)			6.0	
			25.5	CP 255				0.6	
		61900	26.1	OLATHE	X(2)			2.9	
			29.0	CP 290				5.1	
		61880	34.1	GARDNER	X(2)			11.4	
		61850	45.5	WELLSVILLE	X(2)	2MT CTC		10.3	
			55.8	EAST OTTAWA	X(2)			1.3	
		61300	57.1	OTTAWA	P			2.8	
			59.9	WEST OTTAWA	X(2)			16.1	
			76.0	EAST MELVERN	X(2)			11.6	
			87.6	RIDGETON	X(2)			6.2	
		61260	93.8	LEBO	X(2)			13.3	
			107.1	WIGGAM	X(2)			4.2	
			111.3	N.R. JCT.	JX(2)	3MT CTC	7100	0.6	
		61200	111.9	EMPORIA	BPT	2MT CTC		3.4	
			115.3	MERRICK	X			9.4	
		12,080	55250	124.7	ELLINOR	JX(2)	3MT CTC-(3) ABS-(1-2)	5.6	
		6,594	55245	130.3	GLADSTONE			5.8	
		10,017	55240	136.1	BAZAR			8.3	
		7,943	55230	144.4	MATFIELD GREEN			9.8	
		14,892	55225	154.2	CASSODAY			4.2	
		14,338	55220	158.4	AIKMAN			7.1	
		7,010	55215	165.5	CHELSEA			5.7	
			171.2A	EAST EL DORADO				1.6	
			55200	172.8	EL DORADO (Tower B)	X(2) BPT	2MT CTC	1.5	
			174.3	O.D.				9.0	
	W 9,512 E 6,646		183.3	EAST AUGUSTA				2.0	
		55100	185.3	CP 1853	X(2) PTJ			2.3	
			201.8	WEST AUGUSTA				3.4	
	6,784	54685	205.2	SALTER				6.4	
	6,794	54680	211.6	ROSE HILL				4.2	

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Emporia Subdivision MAIN LINE STATIONS		Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
				Rule 4.3	Rule 4.3				
			215.8	EAST JCT.		CTC		4.1	
			219.9	CP 295 (via Ark City Sub.)	JX(2)	2MT CTC		0.8	
	6,953	54620	220.7	CP 294 (Mulvane)	JX(2)T	4MT CTC		1.1	
			221.8	WEST JCT.		2MT CTC		0.4	
			222.2	WEST END EMPORIA SUB SIDING		CTC	7100	4.3	
	7,502	54610	226.5	BELLE PLAINE				4.1	
			230.6	CICERO				6.4	
			237.0	S.K. JCT.	J	2MT CTC		1.0	
		54600	238.0	WELLINGTON	BCPT			223.8	

Between Kansas City Amtrak Station and MP 14.8 is under the jurisdiction of the Kansas City Division.

RADIO COMMUNICATION	Tone Call-In				
	CH	DS	MC	CQS	EMER
Congo to Santa Fe Jct. (KCT)	36	2	-	-	-
Santa Fe Jct. to West Augusta	36	1	4	5&7	9
West Augusta to S.K. Jct.	36	2	4	5&7	9
S.K. Jct. to Wellington	72	2	4	5&7	9

Other Kansas City Radio Channels

- Auxiliary Road Channel—25
- Taxi Channel—55
- Diesel Shop Channel—53
- Turner ATM Channel—49
- Argentine Hump Channel—84
- Argentine Bowl Channel—07
- Argentine Bowl 2 Channel—75
- Argentine Private Channel—85
- Topeka Sub/Marceline Sub Channel—30
- Murray Yard Channel—66
- Murray Yard Bowl Channel—83
- 10th Street Channel—11
- 19th Street Channel—46
- KCS Railway Co. Channel—10
- Norfolk Southern Railroad Channel—22
- Norfolk Southern Yard Channel—72
- UP Topping Channel—27
- 18th Street - UP Channel—38
- UP - Neff Channel—58
- Gateway Western Railway Channel—78
- UP/SSW Channel—96

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431
 Yard Dispatcher—(817) 234-2303, Fax (817) 234-2403
 Dispatcher—(817) 234-2304, Fax (817) 234-2404

1. Speed Regulations

1(A). Speed—Maximum

	Passenger	Freight
Kansas City Amtrak Station and old BN RR,		
KCT tracks 2 and 3	20 MPH.	20 MPH.
Old BN RR and Santa Fe Jct.		
KCT tracks 2 and 3	15 MPH.	15 MPH.
Santa Fe Jct. and CP 39, Main 1 and Main 2	45 MPH.	45 MPH.
Main 3 and Main 4 between:		
Santa Fe Jct. and CP 35	30 MPH.	30 MPH.
Main 3 between CP 35 and CP 40	30 MPH.	30 MPH.
Main 4 between CP 35 and CP 39	30 MPH.	30 MPH.

	Passenger	Freight
Running Track 5 between Santa Fe Jct. and CP 39	20 MPH.	20 MPH.
CP 39 and CP 74, Main 1 and Main 2	30 MPH.	30 MPH.
Fast Tracks between:		
CP 39 and CP 50	30 MPH.	30 MPH.
CP 50 and CP 87	20 MPH.	20 MPH.
CP 74 and Holliday, Main 1	70 MPH.	55 MPH.*%
CP 74 and CP 87, Main 2	30 MPH.	30 MPH.
CP 87 and Holliday, Main 2 and Main 3	70 MPH.	55 MPH.*%
CP 87 and Holliday, Main 4	40 MPH.	40 MPH.
Holiday to West Holiday, Main 3	40 MPH.	40 MPH.
Holliday and Emporia, except Main 3, N.R. Jct. to Constitution St. (MP 111.9)	70 MPH.	55 MPH.*%
N.R. Jct. to Constitution St. (MP 111.9), Emporia Main 3	40 MPH.	40 MPH.
Constitution St. (MP 111.9) Emporia and Ellinor ..	79 MPH.	55 MPH.*%
Ellinor and Wellington	70 MPH.	55 MPH.*%
Trains operating against the current of traffic must not exceed speed of 59 MPH for passenger trains; 49 MPH for freight trains.		
*See System Special Instructions Item 1(B).		

1(B). Speed—Permanent Restrictions

MP 1.7	15 MPH.
MP 3.5 to MP 3.7, Main 1 and Main 2	25 MPH.
MP 5.5 to MP 5.8	20 MPH.
(Except HER)	10 MPH.
MP 7.1 to MP 7.8	30 MPH.
MP 13.3 to MP 14.4, Main 3	40 MPH.
MP 13.6 to MP 14.5, Main 1 and Main 2	60 MPH.
MP 14.5 to MP 24.5	60 MPH.
MP 24.3 to MP 26.8 (HER)	40 MPH.
MP 24.5 to MP 25.7	55 MPH.
MP 26.6 to MP 27.4	50 MPH.
MP 28.1 to MP 29.6	65 MPH.
MP 30.4 to MP 30.7	55 MPH.
MP 31.1 to MP 31.4	60 MPH.
MP 34.5 to MP 35.1, Main 2	50 MPH.
MP 38.5 to MP 39.1, Main 2	55 MPH.
MP 39.5X to MP 39.8X, Main 1	65 MPH.
MP 39.6 to MP 40.0, Main 2	55 MPH.
MP 49.3 to MP 49.6	65 MPH.
MP 57.2 to MP 57.5	65 MPH.
MP 79.6 to MP 79.9, Main 1	45 MPH.
MP 79.6X to MP 79.9X, Main 2	65 MPH.
MP 83.4 to MP 83.6, Main 1	45 MPH.
MP 84.4 to MP 84.6, Main 1	55 MPH.
MP 85.7 to MP 86.0, Main 1	55 MPH.
MP 84.3X to MP 86.0X, Main 2	65 MPH.
MP 98.0 to MP 101.4	55 MPH.
MP 110.6 to MP 111.9 (HER)	30 MPH.
MP 142.3 to MP 147.2	55 MPH.
MP 147.5 to MP 148.9	60 MPH.
MP 149.2 to MP 149.6	55 MPH.
MP 149.9 to MP 150.4	65 MPH.
MP 152.4 to MP 152.8	65 MPH.
MP 172.3 to MP 172.5	60 MPH.
MP 173.4 to MP 173.7	45 MPH.
MP 174.1 to MP 174.3	40 MPH.
MP 175.3 to MP 175.5	60 MPH.
MP 179.6 to MP 179.7	60 MPH.
MP 182.8 to MP 183.0	65 MPH.
MP 185.5 to MP 200.7	50 MPH.
MP 202.4 to MP 203.2	55 MPH.
MP 204.3 to MP 204.7	45 MPH.
MP 205.1 to MP 205.2	50 MPH.
MP 205.3 to MP 206.1	55 MPH.
MP 209.5 to MP 210.4	55 MPH.
MP 215.6 to MP 215.8	55 MPH.
MP 217.3X to MP 217.4X, Main 4	65 MPH.
MP 219.4 to MP 221.2, Main 1	30 MPH.
CP 295 to CP 294, Main 2	30 MPH.
MP 220.0X to MP 221.4X, Main 4	65 MPH.
MP 228.4 to MP 228.6	65 MPH.
MP 233.1 to MP 233.5	65 MPH.
MP 236.6 to MP 237.1	40 MPH.
MP 237.7 to MP 237.8	45 MPH.

1(C). Speed—Switches and Turnouts

Santa Fe Jct., west crossover, Main 2 to Main 1, west of junction	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
Santa Fe Jct., other crossovers	10 MPH.
CP 35	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
Except: westward crossover from Main 3 to Main 2 and Running Track 5 to Main 4	10 MPH.
CP 39, crossovers	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
CP 39, turnout to yard tracks	10 MPH.
CP 40, crossovers	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
CP 40, turnouts to yard tracks	10 MPH.
CP 55, to but not including CP 74, crossovers and turnouts for all main tracks	10 MPH.
MP 7.4, all crossovers	20 MPH.
MP 8.6, Hump Lead to South Fast Track	10 MPH.
MP 8.7, crossovers between Main 2, Main 3 and Main 4	20 MPH.
MP 11.0, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 13.4, turnout, Track No. 4	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 13.4, crossover and turnout to Topeka Subdivision	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 14.4, crossovers	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 14.4, turnout Main 2 to Main 3	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 19.5, crossovers	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 26.1, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 34.1, crossovers	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 45.5, crossovers	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 55.8, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 59.9, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 76.0, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 87.6, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 93.3, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 107.1, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 111.3, turnout to Topeka Subdivision	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 111.3, crossovers and turnout to Main 3	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 111.8, crossover between Main 2 and Main 3 near Constitution St.	10 MPH.
MP 111.9, turnout from Main 3 to Yard Lead near Constitution St.	10 MPH.

MP 115.3, crossovers between Main 2 and Main 1 and west crossover between Main 2 and Main 3	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 115.3, east crossover between Main 2 and Main 3	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 124.7, Main Track turnouts and crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 127.1, west end siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 130.3, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 136.1, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 144.4, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 154.2, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 158.4, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 165.5, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 171.2A, Westward movement through turnout to Main 2	40 MPH.
MP 171.2A, Eastward movement through turnout from Main 2	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 172.8, crossovers	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 175.0, crossovers	10 MPH.
MP 176.7, crossovers	10 MPH.
MP 183.3, both ends siding	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 184.0, both ends siding (spring switch)	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 185.3, both ends siding and crossovers	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 201.8, end of double track, westward	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 205.2, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 211.6, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 215.8, turnout Main 1	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.
MP 219.9, crossovers	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 220.7, crossovers	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 220.7, turnout to Yard Lead	10 MPH.
MP 220.7, turnout east end Emporia Subdivision Siding	10 MPH.
MP 221.9, turnout, Main 1	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 222.2, turnout west end Emporia Subdivision Siding	10 MPH.
MP 226.5, both ends siding	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 230.6*, turnout to or from Main 1 or Main 2	
Less than 100 TOB	50 MPH.
100 TOB and over	40 MPH.

MP 237.0, crossover	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 237.0, turnout, SK&O Connection	20 MPH.
MP 237.0, turnout to Yard Lead Main 1	10 MPH.

* At Cicero, for westward movement, diverging signal aspects will indicate routing to Main 2.

1(D). Speed—Other

- Argentine Speed limit is 10 MPH on all yard tracks.
- Olathe All switches leading off Tracks 7703, 7704, and 7705 must be left lined and locked for 7703, 7704 and 7705 respectively.
On CLIC Track 7705, approach Dennis Street road crossing prepared to stop until it is known that automatic crossing protection is activated. If automatic crossing protection does not activate, a member of the crew must protect the crossing.
- Ottawa Speed limit is 5 MPH on all yard tracks and lead tracks. All switches connected to CLIC Track 9997 must be lined normal after being used.
- Emporia Speed limit is 30 MPH on Yard Track 3.
- Saffordville 5 MPH on Elevator Track 7501.
- Augusta 5 MPH on BN Connection Track 3412.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following locations on both tracks:

- MP 24.4
- MP 39.5X
- MP 47.6X
- MP 48.6X
- MP 62.9 to MP 63.1
- MP 93.7 to MP 93.9
- MP 97.1 to MP 97.5
- MP 106.6 to MP 106.8
- MP 163.8 to MP 171A

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
100 to 109 degrees F	Maximum 50 MPH, observing existing restrictions.	Maximum 45 MPH, observing existing restrictions.	Maximum 70 MPH, observing existing restrictions.

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following location on both tracks:

- MP 74.6 to MP 76.5

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
100 to 109 degrees F	Maximum 50 MPH, observing existing restrictions.	Maximum 45 MPH, observing existing restrictions.	Maximum 70 MPH, observing existing restrictions.
110 degrees F and over	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.	Maximum 50 MPH, observing existing restrictions.

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following location:
MP 142.6 to MP 143.8

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
110 degrees F and over	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.	Maximum 50 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions
Maximum Gross Weight of Car

Kansas City to Wellington 143 tons, Restriction B

3. Type of Operation

CTC—in effect:

Main 1, Main 2, Main 3 and Main 4 between Santa Fe Jct. and CP 39

Main 1, Main 2 and Main 3 between CP 39 and CP 40

Main 1 and Main 2 between CP 40 and CP 87

North and South Fast Tracks—CP 39 to CP 50

Steel Plant lead at CP 39

Main 3 at CP 58

All Main Tracks—CP 87 to Merrick

Main 3—Merrick to Ellinor

All Main Tracks and Sidings—Ellinor to O.D. Jct.

All Main Tracks and Sidings—West Augusta to Wellington

Restricted Limits—in effect:

Main 3—CP 40 to CP 74

ABS—in effect:

Main 1 and Main 2 between MP 115.7 and MP 124.5, and double track between MP 174.3 and MP 201.7.

Rule 9.14—in effect:

Westward on Main 1—Merrick to Ellinor

Eastward on Main 2—Ellinor to Merrick

Westward on Main 1—O.D. to West Augusta

Eastward on Main 2—West Augusta to O.D.

Rule 9.15—Track permits are authorized at locations listed in Rule 9.14.

Signals Not Conforming to Aspects and Indications Shown in the System Special Instructions

Aspect	Name	Indication
Red Over Flashing Yellow	Diverging Approach (Rule 9.1.11 does not apply.)	Proceed through diverging route; prescribed speed through turnout; approach next signal preparing to stop, if exceeding 40 MPH immediately reduce to that speed.

4. General Code of Operating Rules Items

Rule 1.14—Three Main Tracks between CP 295 and CP 294 (Mulvane): Trains and engines will be governed by instructions for the Arkansas City Subdivision.

Rule 5.5—Permanent speed signs are not displayed for movement against the current of traffic.

Rule 6.14—Main 3 between CP 40 and CP 74: Authority to enter this track must be obtained either verbally from the BNSF Kansas City Yard train dispatcher or by proceed indication of controlled signal.

Rule 6.19—When flagging is required, distance will be 2 miles.

Rule 6.26—(Note: System Special Instructions, Rule 6.26, Use of Multiple Main Tracks, is not in effect on the Kansas City Division, Emporia Subdivision between Kansas City Amtrak Station and MP 14.8.) The following is in effect:
Santa Fe Jct. to CP 39 (5 tracks)

The farthest track to the left as viewed from a westward train is Main 1. The tracks to the right are Main 2, Main 3, Main 4 and Running Track 5.

CP 39 to CP 40 (3 tracks)

The farthest track to the left as viewed from a westward train is Main 1. The tracks to the right are Main 2 and Main 3, respectively.

CP 40 to CP 74 (3 tracks along south side of Argentine Yard)

The farthest track to the left as viewed from a westward train is Main 1. The tracks to the right are Main 2 and Main 3, respectively.

CP 40 to CP 87 (2 tracks along north side of Argentine Yard)

The track to the right as viewed from a westward train is the North Fast Track, the track to the left is the South Fast Track.

CP 74 to CP 87 (2 tracks at west end of Argentine Yard—south side)

The farthest track to the left as viewed from a westward train is Main 1 (High Line). The track to the right is Main 2.

Note: Only Main 2 has access to CP 87 and Fast Tracks.

CP 87 to MP 14.8

The farthest track to the left as viewed from a westward train is Main 1 and the tracks to the right are Main 2, Main 3 and Main 4, respectively.

Between East Jct. and West Jct.—The farthest track to the left as viewed from a westward train is Main 4 (High Line).

Rule 6.28—in effect:

Running Track 5 between Santa Fe Jct. and CP 39—Westward movement from Santa Fe Jct. to CP 35 must be authorized verbally by the BNSF Kansas City Yard train dispatcher before passing the west end of Fifth Street Yard (MP 2.3).

North and South Fast Tracks—CP 50 to CP 87

Yard Track 3 Emporia MP 111.9 to MP 115.3

Rule 9.12.4—At the spring switch at MP 184, authority must be obtained from the train dispatcher before passing signal displaying Stop indication. Provisions of Rule 9.12.4 do not apply at this location.

5. Trackside Warning Detectors (TWD)

A. Protecting bridges, tunnels or other structures

MP 64.4—WWD only—Recall Code 0

MP 106.5—EWD only—Recall Code 0

B. Other TWD locations

MP 18.5—Recall Code 8

MP 41.3—Recall Code 0

MP 55.2—Recall Code 8

MP 64.4—EWD only—Recall Code 0

MP 86.2—Recall Code 8

MP 106.5—WWD only—Recall Code 0

MP 121.1—Recall Code 8

MP 138.1—Recall Code 0

MP 162.6—Recall Code 8

MP 181.4—Recall Code 0

MP 202.8—Recall Code 8

MP 223.7—Recall Code 8

- C. Other detectors
 - MP 20.4 to MP 20.6—Slide Fence
 - Controlled signals Craig and signals 212, Main 1 and 214, Main 2
 - MP 218.9—High Water
 - WWD signal 2181, Main 1
 - EWD controlled signal CP 295

6. FRA Excepted Track

<u>Location</u>	<u>Track No.</u>	<u>Track Name</u>
Olathe	77 08	Short Team
	77 10	Oil Spur
	77 11	Stock Track
	77 12	Delco "A"
	77 13	Delco "B"
	77 15	Yard Track A
	77 16	Yard Track A1
	77 17	Yard Track A2
	77 18	Yard Track
	77 19	Yard Track B
	77 20	Yard Track
	77 25	Tie Up Track
	77 28	Paniplus P1
	77 29	Paniplus P2
Gardner	86 01	Air Base Lead
	86 03	Compound Spur
Ottawa	99 06	Yard Track
	99 07	Yard Track
	99 08	Yard Track
	99 09	Yard Track
	99 12	Bendix Lead
	99 23	Old No. 16 Track
	99 40	Haven Steel
99 41	Steel	
Pomona	19 01	House Track
Quenemo	24 01	House Track
Melvern	31 03	Elevator Track
	31 04	Elevator Track
	31 06	House Track
Ridgeton	35 01	Setout Track
Lebo	93 02	Stock Track
	93 03	House Track
Emporia	67 10	Yard Track
	67 11	Yard Track
	67 12	Yard Track
	67 19	Yard Track
	67 43	Yard Track
	67 47	Yard Track
	67 48	Yard Track
	67 49	Yard Track
	67 50	Yard Track
	68 06	Westbound Yard 6
	68 07	Westbound Yard 7
	68 08	Westbound Yard 8
	68 09	Westbound Yard 9
	68 13	Yard Track
	68 15	Yard Track
	68 17	Yard Track
	68 18	Yard Track
	68 19	Yard Track
	68 23	Pocket Track
	69 01	Emporia Ready Mix
	69 02	Modine Spur

Emporia	69 03	Fleetwood Spur
	69 04	Debaugue
	69 05	Interstate Spur
	69 06	Industry Lead Track
	69 07	Bunger Corp. West Elevator (Spout)
	69 08	Tail Track
	69 09	Anderson Track
	69 14	Safeway Pet Food
	69 15	Safeway Pet Food
	69 16	Emporia Cold Storage
	69 21	I.B.P. Track No. 1
	69 22	I.B.P. Track No. 2
	69 23	I.B.P. Track No. 3
	69 24	I.B.P. Track No. 4
	69 30	Elm Street Elevator Track
	69 80	Bunge Corp. West Track
	69 82	Mark II Spur Track
69 83	Bunge Corp. Middle Track	
69 84	Bunge Corp. Scale Track	
69 85	Bunge Corp. Oil Spur	
69 90	Sauder Ind. Spur Track	
Saffordville	75 01	Elevator Track
Matfield Green	38 01	House Track
El Dorado	33 27	West Engine Tie Up
	33 28	East Engine Tie Up
	33 31	Halliburton
Augusta	34 03	North Leg Wye
	34 04	South Leg Wye
	34 15	South Dock
	34 18	Depot 4
Belle Plaine	27 01	Watson Supply

7. Special Conditions

Emporia Subdivision—CELX 6400 series and 10400 series cars, loaded to 197 tons, may operate on the Emporia Subdivision without restrictions.

Kansas City—All left-hand signals affecting movement between MP 1.7 and MP 10.8 (eastward and westward directions) may be identified by a sign adjacent to the signal reading, "LEFT HAND SIGNAL."

Kansas City Terminal Railway (KCT)—Crews operating across Kansas City Terminal Railway Company trackage must have a copy of the Greater Kansas City Area Operating and Special Instructions, in effect May 1, 1998, in their possession and review all Kansas City Terminal Railway Company General Notices and General Orders posted at specific locations. This will fulfill the requirements of Rule 6.2 of the General Code of Operating Rules. The Kansas City Terminal Railway Company does not issue track warrants or bulletins. All modifications to the Greater Kansas City Area Operating and Special Instructions are made in the aforementioned General Notices and General Orders.

Edgerton—Track 9101 (east end) is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Wellsville—Track 9702 (west end) is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Ottawa—Tracks 9901 and 9997 (west end) are designated as bad order setout tracks. Signs indicate where car(s) should be spotted.

Close Clearance—Shifted load detectors at MP 64.4 and MP 106.5 are located on the field side of both tracks and will not clear a man on the side of a car.

Quenemo—Track 2401 (west end) is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

East Melvern—No six-axle units are allowed on any auxiliary tracks.

Melvorn—Track 3102 (east end) is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Ridgeton—Track 3101 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Lebo—Tracks 9302 and 9303 are designated as bad order setout tracks. Signs indicate where car(s) should be spotted.

N.R. Jct.—The main track switch and south 150 feet of track on the east leg of the old east wye has been permanently removed from service.

Emporia—Track 6743 (east and west end) is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

I.B.P. Hide Loading Track 6923 will not clear a man on the side of a car. Therefore, do not pull or spot cars north of the storage tanks located between Tracks 6923 and 6924.

Between MP 111.9 and MP 115.3—First track south of Main 2 is designated as Yard Track 3. Speed limit is 30 MPH; Rule 6.28 is in effect.

Saffordville—Track 7501 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Bazar—Track 3601 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Matfield Green—Track 3801 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Aikman—Track 4101 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Chelsea—Track 4298 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Between Chelsea and El Dorado—The distance between MP 171 and MP 172 is 9,044 feet. Therefore, MP 171A add 1 mile west of MP 171; distance between MP 171A and MP 172 is 3,764 feet.

El Dorado—Tracks 3305 and 3327 are designated as bad order setout tracks. Signs indicate where car(s) should be spotted.

Augusta—Tracks 3401 and 3409 are designated as bad order setout tracks. Signs indicate where car(s) should be spotted.

Mile posts escalate from 186 to 200. Distance between mile posts is 1,584 feet.

Mulvane—two sets of mile posts are displayed:
MP 227, MP 228 and MP 229—Old Ark City Sub Main Track (Main 3, closest to depot).

MP 219, MP 220 and MP 221—Old Emporia Sub Main Track (NT)—Main 2.

Main 4 (High Line)—Old Emporia Sub Main Track (ST).

CP 295 to CP 294—Main tracks are designated as follows:

Main 1—Old Ark City Sub Siding

Main 2—Old Emporia Sub Main Track (NT)

Main 3—Old Ark City Sub Main Track (closest to depot)

Between East Jct. and West Jct.—The distance between MP 221X and MP 222 on Main 2 is 1,584 feet.

Split Track Operation

MP 34.5 to MP 39.8—Main 1 mile posts designated by "X."

MP 46.2 to MP 49.3—Main 2 mile posts designated by "X."

MP 79.5 to MP 87.6—Main 2 mile posts designated by "X."

MP 115.3 to MP 124.7—Main 3 mile posts designated by "X."

MP 215.8 to MP 221.8—Main 4 (High Line) mile posts designated by "X."

Test Miles—Test mile signs have been placed at MP 16 and MP 223 westbound and MP 18 and MP 225 eastbound.

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:
MP 31.1 (Clare Road)
MP 84.5 to MP 85.0
MP 104.7 to MP 105.0

8. Line Segments

Yard Line Segments

Line Segments Limits

7150 Argentine Yard

7151 Emporia Yard

7152 Wellington Yard

Road Line Segments

Line Segments Limits

7100 Kansas City to Wellington

9. Locations Not Shown as Stations

Name	Mile Post Location	Capacity Feet	Switch Opens
Edgerton (Main 1)	39.8	3,100	Both
Pomona (Main 1)	67.5	300	West
Pomona (Main 2)	67.5	900	Both
Quenemo (Main 1)	71.8	2,000	West
Saffordville (Main 1)	123.4	3,200	Both

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	La Junta Subdivision MAIN LINE STATIONS		Rule 4.3	Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
		55250	124.7	ELLINOR	J				7.0	
	11,762	61170	131.7	STRONG CITY					4.1	
		61150	135.8	NEVA	J				9.0	
	8,583	61140	144.8	CLEMENTS				CTC	12.1	
	8,079	61130	156.9	FLORENCE					11.7	
			168.6	UP RR	A				0.9	
	10,487	61125	169.5	PEABODY	J				8.8	
	8,419	61120	178.3	WALTON					6.3	
			184.6	UP RR	M				0.5	
		61100	185.1	NEWTON	JXBPT			3MT CTC	0.5	
			185.6	FIRST ST.	X				0.5	
			186.1	RAIL MILL					0.6	
			186.7	SAND CREEK	XBCPT			2MT CTC	1.0	
			187.7	WEST SAND CREEK	X				2.3	
			190.0	SC JCT.					4.6	
	6,124	61040	194.6	HALSTEAD					9.1	
	10,452	61030	203.7	BURRTON					8.8	
			212.5	EAST END WAY					1.6	
			214.1	WAY	BPT				2.4	
			216.5	SSW RR	M			CTC	1.5	
	29,903	61000	218.0	HUTCHINSON	P				0.3	
			218.3	CH JCT.					0.9	
			219.2	WEST HUTCH - KSW RR	M				1.4	
			220.6	CP 2206					14.5	
	10,166	58980	235.1	ABBYVILLE				7300	16.0	
	10,300	58968	251.1	ZENITH					14.9	
	10,284	58960	266.0	ST. JOHN					18.9	
	10,370	58945	284.9	BELPRE				TWC ABS ATS	17.5	
	8,600	58935	302.4 (316.7)	KINSLEY					8.0	
	5,282	58930	324.7	OFFERLE					11.4	
	7,768	58920	336.1	SPEARVILLE					8.6	
		58915	344.7	WRIGHT	Y				5.4	
			350.1	DODGE CITY JCT.	XY			DT TWC ABS ATS	2.4	
		58900	352.5	DODGE CITY	BCPTY				2.2	
			354.7	SEARS	Y				16.5	
	6,250	58869	371.2	CIMARRON					12.8	
	7,750	58849	384.0	CHARLESTON					18.4	
	7,835	58300	402.4	GARDEN CITY	BCPY				14.6	
	4,050	58250	417.0	DEERFIELD					20.3	
	6,850	58220	437.3	SUTTON				TWC ABS ATS	16.6	
	10,000	58190	453.9	SYRACUSE	P				21.0	
	3,700	58180	474.9	HOLLY					10.4	
	4,000	58165	485.3	GRANADA					17.0	
	7,500	58100	502.3	LAMAR	P				19.2	
	4,000	58080	521.5	CADDOA					12.1	
			533.6	LAS ANIMAS JCT.	JP				2.4	
	8,300	58060	536.0	LAS ANIMAS				CTC ATS	14.7	
			550.7	CASA					4.2	
		56700	554.9	LA JUNTA	X(2)BC PTY			2MT CTC ATS	415.9	

Between Las Animas Jct. and La Junta is under the jurisdiction of the Amarillo Division.

RADIO COMMUNICATION	Tone Call-In				
	CH	DS	MC	CQS	EMER
Ellinor to Las Animas Jct.	55	2	4	5&7	9
Las Animas Jct. to La Junta	55	1	4	5&7	9

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431
 Dispatcher—(817) 234-2317, Fax (817) 234-2417

1. Speed Regulations

1(A). Speed—Maximum

	Passenger	Freight
MP 124.7 to MP 219.2	79 MPH.	55 MPH.*#
MP 219.2 to MP 554.9	90 MPH.	55 MPH.*#
Exception:		
MP 220.5 to MP 242.1	79 MPH.	60 MPH.
MP 323.3 to MP 424.9	79 MPH.	60 MPH.
MP 453.3 to MP 554.9	79 MPH.	60 MPH.

* See System Special Instructions Item 1(B).

1(B). Speed—Permanent Restrictions

MP 132.4 to MP 132.8	75 MPH.
MP 133.7 to MP 133.9	70 MPH. 50 MPH.
MP 135.9 to MP 136.4	75 MPH. 65 MPH.
MP 166.4 to MP 166.8	70 MPH. 65 MPH.
MP 168.0 to MP 168.4	50 MPH. 45 MPH.
MP 168.6	45 MPH. 45 MPH.
MP 168.9 to MP 169.1	65 MPH. 45 MPH.
MP 170.0 to MP 170.5	75 MPH. 65 MPH.
MP 173.3 to MP 175.9	70 MPH. 65 MPH.
Newton—Main tracks between MP 184.6 and MP 186.1	20 MPH. 20 MPH.
MP 186.4 to MP 186.5	75 MPH. 65 MPH.
MP 187.3 to MP 187.8	55 MPH. 50 MPH.
MP 203.3 to MP 204.1 (HER)	50 MPH. 50 MPH.
MP 216.5	40 MPH. 40 MPH.
MP 216.6 to MP 219.1 (HER)	30 MPH. 30 MPH.
MP 218.1 to MP 219.1	40 MPH. 30 MPH.
MP 219.2	40 MPH. 40 MPH.
MP 219.4 to MP 220.2	60 MPH. 55 MPH.
MP 228.3 to MP 228.8	85 MPH.
MP 257.2 to MP 257.4	50 MPH. 50 MPH.
MP 265.7 to MP 266.2 (HER)	55 MPH. 55 MPH.
MP 266.1 to MP 266.5	70 MPH.
MP 301.7 to MP 302.0	60 MPH. 55 MPH.
MP 301.9 to MP 302.4 (HER)	55 MPH. 55 MPH.
MP 302.2 to MP 302.4	75 MPH. 65 MPH.
MP 344.7 to MP 354.7 Main 2	40 MPH. 40 MPH.
MP 347.9 to MP 352.0 Main 1	60 MPH. 40 MPH.
Dodge City—Freight lead between east switch and bridge at MP 351.0	20 MPH. 20 MPH.
MP 352.0 to MP 352.3 Main 1 (Equipped with westward ATS inert inductors)	30 MPH. 20 MPH.
MP 352.0 to MP 352.3 Main 2 (Equipped with westward ATS inert inductors)	20 MPH. 20 MPH.
MP 401.7 to MP 403.0 (HER)	45 MPH. 45 MPH.
MP 432.6 to MP 433.2	75 MPH.
MP 435.9 to MP 436.5	85 MPH.
MP 479.9 to MP 481.9	75 MPH.
MP 502.1 to MP 503.0 (HER)	60 MPH. 60 MPH.
MP 536.4 to MP 536.5	80 MPH.
MP 543.1 to MP 543.9	80 MPH.
MP 544.9 to MP 545.8	85 MPH.
MP 547.9 to MP 548.0	85 MPH.
MP 551.4 to MP 551.6	80 MPH. 60 MPH.
MP 552.8 to MP 553.1	60 MPH. 55 MPH.
MP 553.6 to MP 554.2	80 MPH. 60 MPH.
MP 554.2 to MP 554.9	40 MPH. 40 MPH.

1(C). Speed—Switches and Turnouts

	Passenger	Freight
MP 124.7, main track turnouts and crossover		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 131.7, both ends siding		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 135.8, turnout to Strong City Subdivision	10 MPH.	10 MPH.
MP 144.8, both ends siding		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 156.9, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 169.5, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 169.5, connection to UP RR	10 MPH.	10 MPH.
MP 178.3, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 178.3, east switch storage track		
Less than 100 TOB	10 MPH.	10 MPH.
100 TOB and over	10 MPH.	10 MPH.
Newton and First St., main track crossover and turnouts MP 184.5 to MP 185.5		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 185.6, turnout to Lower Yard		
Less than 100 TOB	10 MPH.	10 MPH.
100 TOB and over	10 MPH.	10 MPH.
MP 186.1, crossover		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 187.8, crossover		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 190.0, turnout from or to Main 2		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 194.6, both ends siding		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 203.7, both ends siding		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 212.5, turnouts and crossovers		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 214.1, turnouts and crossovers		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 216.4, turnouts and crossovers		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 216.5, turnouts and crossovers		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 218.0, turnouts and crossovers		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 219.2, turnouts and crossovers		
Less than 100 TOB	40 MPH.	40 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 220.6, turnout to UP connection		
Less than 100 TOB	50 MPH.	50 MPH.
100 TOB and over	40 MPH.	40 MPH.
MP 235.1, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 251.1, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 266.0, MP 284.9, MP 302.4, MP 316.7 and MP 437.3, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 324.7, MP 336.1, MP 371.2, MP 384.0, MP 453.9 and MP 502.3, both ends siding	20 MPH.	20 MPH.

MP 344.7, turnout from or to Main 2, spring switch		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 350.1, Main 2, spring switch		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 350.1, turnout east end freight lead, spring switch	20 MPH.	20 MPH.
MP 350.1, turnout from Main 1 to Main 2		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 354.7, end of double track, spring switch	30 MPH.	30 MPH.
MP 402.4, both ends siding	10 MPH.	10 MPH.
MP 417.0, both ends siding	10 MPH.	10 MPH.
MP 474.9, both ends siding	10 MPH.	10 MPH.
MP 485.3, both ends siding	10 MPH.	10 MPH.
MP 521.5, both ends siding	10 MPH.	10 MPH.
Las Animas—Boise City Subdivision Jct. switch		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 536.0, both ends siding		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 550.7, turnout to Main 2		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.

1(D). Speed—Other

Strong City, track 8407	5 MPH.
Elmdale, elevator track 3801	5 MPH.
Florence, track 9003	5 MPH.
Peabody, track 8901	5 MPH.
Newton freight leads between First St. MP 185.6 and Sand Creek Bridge MP 186.3	10 MPH.
Newton to Sand Creek—UP connection track 8524	10 MPH.
When pulling cars across scale track 8521 at Cargill Flour Mill	5 MPH.
On west leg of wye 8340	10 MPH.
On McGraw lead 8195 between McGraw and west end Sand Creek yard	10 MPH.
Dodge City—Western Power Spur track 129	5 MPH.
Air must be cut in on all cars while switching High Plains and locomotive brake applied while on descending grade. All movements are not to exceed 3 MPH on descending grade.	
East CV Industrial Spur MP 0.0 to MP 3.8	10 MPH.
Stafford—Elevator track 5703	5 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following location:

MP 323.3 to MP 533.6

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
100 to 109 degrees F	Maximum 45 MPH, observing existing restrictions.	Maximum 40 MPH, observing existing restrictions.	Maximum 60 MPH, observing existing restrictions.
110 degrees F and over	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.	Maximum 50 MPH, observing existing restrictions.

2. Bridge and Equipment Weight Restrictions

Maximum Gross Weight of Car

Ellinor to La Junta 143 tons, Restriction C

3. Type of Operation

CTC—in effect:

On main track and sidings between MP 124.7 and MP 220.6, and between MP 533.6 and MP 553.9.

3MT between MP 184.6 and MP 185.6, 2MT between MP 185.6 and MP 190.0, 2MT between MP 550.7 and MP 553.9.

TWC—in effect:

Between MP 220.6 and MP 533.6.

Yard Limits—in effect:

Wright to Sears MP 344.7 to MP 354.7
 Garden City MP 398.3 to MP 405.0
 La Junta MP 553.9 to MP 556.5 (Raton)
 La Junta MP 553.9 to MP 557.8 (Pueblo)

Interlockings: Trains and Engines—The interlocking signals at MP 168.6 are also controlled signals. When stopped by a Stop indication, comply with Rule 9.12.3 if the signal does not change to a more favorable indication.

Signals Not Conforming to Aspects and Indications Shown in the System Special Instructions

Aspect	Name	Indication
Red Over Flashing Yellow	Diverging Approach (Rule 9.1.11 does not apply.)	Proceed through diverging route; prescribed speed through turnout; approach next signal preparing to stop, if exceeding 40 MPH immediately reduce to that speed.

4. General Code of Operating Rules Items

Rule 5.5—Between MP 344.7 and MP 354.7. Permanent speed signs are not displayed for movements against current of traffic.

Rule 6.19—When flagging is required, distance will be 2 miles.

Rule 6.28—At Hutchinson, trackage between MP 0.6 and MP 3.5 on former H&S Subdivision is classified as South Hutch Industrial Spur off La Junta Subdivision. Rule 6.28 is in effect; speed limit is 10 MPH.

Rule 12.1—ATS in effect:

MP 220.6 to MP 554.9

5. Trackside Warning Detectors (TWD)

A. Protecting bridges, tunnels or other structures: None

B. Other TWD locations

- MP 134.0—Recall Code 8
- MP 159.0—Recall Code 8
- MP 180.9—Recall Code 8
- MP 198.4—Recall Code 8
- MP 225.0—Recall Code 8
- MP 247.9—Recall Code 8
- MP 275.5—Recall Code 8
- MP 321.2—Recall Code 8
- MP 341.0—Recall Code 0
- MP 355.4—Recall Code 8
- MP 380.2—Recall Code 0
- MP 397.7—Recall Code 8
- MP 418.1—Recall Code 0
- MP 435.2—Recall Code 8
- MP 466.1—Recall Code 8
- MP 499.0—Recall Code 8
- MP 538.4—Recall Code 8

C. Other detectors

- MP 355.3 to MP 356.0—High Water
 EWD signal 3562 & WWD absolute signal Main 1 Sears
- MP 375.9—High Water—Signals 3772 and 3741
- MP 381.4—High Water
 EWD absolute signal east end siding Charleston
 WWD signal 3801
- MP 387.1—High Water—Signals 3892 and 3871
- MP 389.5—High Water—Signals 3922 and 3891

- MP 393.1—High Water—Signals 3952 and 3921
- MP 419.7—High Water—Signals 4202 and 4191
- MP 425.3—High Water—Signals 4272 and 4241
- MP 433.0, MP 433.6—High Water—Signals 4342 and 4311
- MP 439.6—High Water—Signals 4402 and 4381
- MP 445.7—High Water—Signals 4472 and 4441
- MP 447.1—High Water—Signals 4472 and 4461
- MP 448.3—High Water—Signals 4492 and 4461
- MP 455.4—High Water
 EWD signal 4572
 WWD absolute signal west end siding Syracuse
- MP 469.8, MP 470.8, MP 471.1—High Water
 Signals 4722 and 4691
- MP 485.8—High Water
 EWD signal 4882
 WWD absolute signal west end siding Granada
- MP 492.0—High Water—Signals 4922 and 4901
- MP 500.1—High Water
 EWD absolute signal east end siding Lamar
 WWD signal 4981

6. FRA Excepted Track

Location	Track No.	Track Name
Strong City	8407	Wye Spur
Florence	9002	Middle Track
	9003	Scale Track
Peabody	8901	Elevator Track
	8902	Elevator Track
	8903	Elevator Track
Halstead	9401	House Track
	9402	Elevator Track
	9403	Elevator Track
	9406	Spur Track
	9409	Chandler Spur
	9410	Patrick Spur
Hutchinson	0130	North Roundhouse Lead
	0131	Stock Track
	0137	Kaiser Track
	0138	Storehouse Track
	0142	Cessna West
	0143	Cessna East
	0146	Bedding Track
	0147	Cessna West
	0148	Farmland South
	0206	Garvey Elevator
	0207	Hamilton Roofing
	0208	RPC S-Repblc Paper Corp
	0209	RPC N-Repblc Paper Corp
	0210	Concrete House Track
	0211	Union Equity I
	0212	Union Equity I
	0213	Union Equity I
	0214	Union Equity I
	0215	Union Equity I
	0238	Bunge East Track
	0239	Bunge House Track
	0240	Bunge West Track
	0302	Davidson Lead
	0303	Stucky Lumber
	0304	Davidson Pocket
	0314	Nash-Finch
	0316	White Lumber
	0321	Sunglow Feeds
	0328	Irksdoll
	0331	Merch. Warehouse #2
	0335	Smoot Grn. Bck. Track

Hutchinson	0336	Smoot Grn. S Track
	0339	T O F C
	0341	Machine Dock
	0347	Hutchinson News
	0348	Hartman Man
Partridge	0502	Elevator Track
Abbyville	0505	Elevator Track
Zenith	5102	Elevator Track
Stafford	5703	Elevator Track
Macksville	7702	House Track
Lewis	9302	House Track
	9303	Elevator Track
Bellefont	2702	Elevator Track
Dodge City	0133	Dodge City Concrete
	0203	Old House Track
	0206	Team Track
	0207	Caboose Track

7. Special Conditions

Peabody-Lost Springs—BNSF trains will use UP tracks between Peabody and Lost Springs and be governed by UP Timetable and Special Instructions.

Conductor of crew going on duty at Newton will call UP train dispatcher at Omaha, Nebraska, 1-800-726-1121, to operate on UP between Wichita and Lost Springs. Track warrants and bulletin books are located at above locations. Use radio channel 42 on UP.

Locations where movement over crossing must be protected by member of crew—Florence, Main Street crossing on yard track.

Close Clearances

Florence—Track serving Burns Farmers Co-operative Union—Between track and new warehouse.

Peabody—Setting out cars on UP connections is prohibited.

Walton—Farmers Grain Co-operative—Intercom wire 22 feet and power line 25 feet above top of rail.

Newton—Cement dock south side Rail Mill between 2 and 3 poles east of MP 186 on Track 8345.

Signal Matters—General Instructions—Crew member on trains 3 and 4 must contact train dispatcher before departing Newton to determine if track bulletins need updating.

Hutchinson—Protrusions from building south side PMS Food Plant Track 225.

While switching Cargill Salt Co., crew must not ride on side of cars on Tracks 326 and 327.

Loading platform at Grain Products when platform lowered.

Loading dock north side of Track 130, 300 feet east of Tool House.

BNSF trains and engines will use SSW main track between MP 216.5 and MP 0.6 on former H&S Subdivision and track 351. DTC is in effect on SSW main track.

If SSW train dispatcher issues a directional authority, crew must open main track switch and wait five minutes, then proceed at restricted speed to next governing signal. If issued work and time authority, crew may open main track switch immediately and proceed at restricted speed to next governing signal.

Track 163 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Kinsley—Mile posts escalate from 302.4 to 316.7. Distance between mile posts is 3,696 feet.

Dodge City Jct.—Normal position of spring switch at east end freight lead is lined for freight lead.

Dodge City—Loading platform at Grain Products when platform lowered.

Track 187 is designated as a bad order setout track. Signs indicate where car(s) should be spotted.

Sidings—Sidings at Offerle, Spearville, Garden City, Deerfield, Holly, Granada and Caddoa must not be used by loaded unit grain or coal trains.

Test Miles—Test mile signs have been placed at MP 191 and MP 359.0 westbound and MP 343.0 eastbound.

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:

MP 350.5 to MP 358.0	MP 462.3
MP 412.0 to MP 415.0	MP 470.8
MP 458.7	MP 530.5

8. Line Segments

Road Line Segments

Line Segment Limits

7400	Ellinor to Newton
7300	Newton to La Junta

Yard Line Segments

Line Segment Limits

7350	Sand Creek Yard
7351	Hutchinson Yard
7352	Dodge City Yard

9. Locations Not Shown as Stations

Name	Mile Post Location	Capacity Feet	Switch Opens
Elmdale	138.3	1,400	West
Partridge	229.0	5,500	Both
Plevna	240.7	200	Both
Sylvia	246.4	2,460	Both
Stafford	257.0	7,325	Both
Dillwyn	272.8	5,950	Both
Macksville	277.6	6,140	Both
Lewis	293.3	2,438	Both
Bellefont	330.3	8,350	Both
Wright	344.7	6,305	Both
East C.V. Industrial Spur	352.5	20,064	East
Howell	361.5	1,930	Both
Ingalls	377.3	5,747	Both
Pierceville	390.1	6,750	Both
Sunflower Electric	407.4	35,000	West
Holcomb	409.0	6,564	Both
Iowa Beef Processors	411.4	975	West
Lakin	424.3	9,897	Both
Kendall	442.2	6,886	Both
Coolidge	468.8	6,289	Both
Amity	479.2	2,150	Both
Grote	491.4	1,400	Both

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Red Rock Subdivision MAIN LINE STATIONS		Rule 4.3	Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
	E7,000 W9,900	52700	263.4	ARKANSAS CITY	BPT				0.8	
			264.2	BNSF RR	M				11.6	
	12,185	52680	275.8	NEWKIRK					13.1	
	32,442	52300	288.9	PONCA CITY	BPT				11.4	
	8,616	52290	300.3	MARLAND					6.5	
	7,447	52280	306.8	RED ROCK					5.9	
	7,993	52270	312.7	OTOE					3.6	
			316.3	BLACK BEAR - BNSF RR	MJ				4.8	
			321.1	CP 3211			CTC		0.5	
	N5,515 S3,624	96109	321.6	PERRY	PJ				6.8	
	8,563	52090	328.4	ASP					10.4	
	10,149	52060	338.8	MULHALL					8.1	
	8,915	52050	347.2	LAWRIE				7400	5.4	
	14,725	51700	352.6	GUTHRIE	PT				7.4	
	9,735	51695	360.1	SEWARD					10.0	
	7,041	51690	370.1	EDMOND					6.7	
	8,029	51680	376.8	BRITTON					3.8	
			380.6	NOWERS					3.4	
		51500	384.0	OKLAHOMA CITY	X(2)T		2MT CTC		1.7	
			385.7	BURNETT					3.1	
			388.8	GM CROSSOVER					1.7	
	8,460	51500	390.5	FLYNN	BCPT				4.4	
	8,351	51420	393.2	MOORE					8.6	
	6,678	51415	401.8	NORMAN					6.2	
	9,075	51400	408.1	NOBLE					9.2	
	9,600	51400	417.3 517.5	PURCELL					7.3	
	8,297	51325	510.2	WAYNE					7.6	
	8,229	51315	502.6	PAOLI					7.0	
	7,926	51300	495.6	PAULS VALLEY			CTC		7.5	
	8,804	51255	488.1	WYNNEWOOD					10.1	
	9,225	51250	478.0	DAVIS	T				8.4	
	8,599	51240	469.6	DOUGHERTY				7500	9.3	
	8,443	51225	460.3	GENE AUTRY					9.9	
	5,731	51200	450.4	ARDMORE	BPT				7.4	
	6,427		443.0	OVERBROOK					9.9	
	10,025	51140	433.1	MARIETTA					10.0	
	8,053	51120	423.1	THACKERVILLE					11.8	
		51100	411.3X	GAINESVILLE	BP				261.3	

Between MP 413.6X and Gainesville is under the jurisdiction of the Texas Division.

RADIO COMMUNICATION	Tone Call-In				
	CH	DS	MC	CQS	EMER
Arkansas City to Purcell	30	1	4	5&7	9
Wayne to Gainesville	36	1	4	5&7	9

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431
 Dispatcher—(817) 234-2321, Fax (817) 234-2421,
 (817) 234-2322, Wayne to Gainesville

1. Speed Regulations

1(A). Speed—Maximum

- MP 263.4 to MP 411.3X 55 MPH.%
- Exception: Passenger trains MP 387.4 to MP 411.3X 60 MPH.
- OG&E Sooner Spur between Main Track switch and
 Loop Track switch 20 MPH.
- Flynn Industrial Spur between MP 0.3 and MP 3.8 20 MPH.

1(B). Speed—Permanent Restrictions

- | | Passenger | Freight |
|---|-----------|---------|
| MP 263.4 to MP 264.1 | 20 MPH. | 20 MPH. |
| MP 264.1 to MP 265.0 (MT only) | 30 MPH. | 30 MPH. |
| MP 265.3 to MP 266.2 | 50 MPH. | 50 MPH. |
| MP 275.4 to MP 276.0 (HER) | 45 MPH. | 45 MPH. |
| MP 287.2 to MP 290.6 (HER) | 40 MPH. | 40 MPH. |
| MP 287.7 to MP 287.9 | 50 MPH. | 50 MPH. |
| MP 290.4 to MP 290.6 | 45 MPH. | 45 MPH. |
| At MP 316.3 | 40 MPH. | 40 MPH. |
| MP 320.8 to MP 321.7 (HER) | 50 MPH. | 50 MPH. |
| MP 351.7 to MP 352.9 | 45 MPH. | 45 MPH. |
| MP 369.7 to MP 370.4 (HER) | 45 MPH. | 45 MPH. |
| MP 374.6 to MP 377.2 (HER) | 50 MPH. | 50 MPH. |
| MP 377.1 to MP 377.4 | 40 MPH. | 40 MPH. |
| MP 378.6 to MP 380.6 | 45 MPH. | 45 MPH. |
| MP 380.6 to MP 385.7 (HER), Main 1 and
Main 2 | 40 MPH. | 40 MPH. |
| MP 385.7 to MP 387.6 (HER), Main 2 | 50 MPH. | 50 MPH. |
| MP 385.7 to MP 387.6 (HER), Main 1 | 40 MPH. | 40 MPH. |
| MP 399.7 to MP 403.2 (HER) | 40 MPH. | 40 MPH. |
| MP 405.9 to MP 407.9 (HER) | 55 MPH. | 55 MPH. |
| MP 412.0 to MP 412.2 | 40 MPH. | 40 MPH. |
| MP 515.0 to MP 513.2 | 55 MPH. | 50 MPH. |
| MP 506.7 to MP 504.5 | 55 MPH. | 50 MPH. |
| MP 496.5 to MP 494.7 (HER) | 50 MPH. | 50 MPH. |
| MP 488.3 to MP 486.3 (HER) | 40 MPH. | 40 MPH. |
| MP 474.5 to MP 474.2 | 55 MPH. | 50 MPH. |
| MP 466.4 to MP 462.8 | 35 MPH. | 35 MPH. |
| MP 462.8 to MP 462.0 | 45 MPH. | 45 MPH. |
| MP 462.0 to MP 461.0 | 50 MPH. | 50 MPH. |
| MP 460.3 to MP 459.6 | 50 MPH. | 45 MPH. |
| MP 459.3 to MP 453.2 | 55 MPH. | 50 MPH. |
| MP 451.3 to MP 449.3 | 25 MPH. | 25 MPH. |
| MP 448.1 to MP 447.3 (HER) | 50 MPH. | 50 MPH. |
| MP 443.7 to MP 442.4 (HER) | 55 MPH. | 55 MPH. |
| MP 438.1 to MP 437.0 (HER) | 55 MPH. | 55 MPH. |
| MP 433.7 to MP 432.5 (HER) | 55 MPH. | 55 MPH. |
| MP 423.5 to MP 422.6 (HER) | 55 MPH. | 55 MPH. |
| MP 422.3 to MP 418.6X | 55 MPH. | 50 MPH. |
| MP 418.5X to MP 417.7X | 45 MPH. | 45 MPH. |
| Flynn Industrial Spurs MP 388.8
MP 0.0 to MP 0.3 | 10 MPH. | 10 MPH. |
| MP 3.8 to GM Yard | 10 MPH. | 10 MPH. |

1(C). Speed—Switches and Turnouts

- Arkansas City, crossover between main track
 and east siding to MP 264.1 20 MPH.
- West end west siding
 Less than 100 TOB 40 MPH.
- 100 TOB and over 25 MPH.
- MP 275.8, both ends siding
 Less than 100 TOB 40 MPH.
- 100 TOB and over 25 MPH.
- MP 288.9, EE Yard Lead 10 MPH.
- MP 288.9, other turnouts and crossover
 Less than 100 TOB 40 MPH.
- 100 TOB and over 25 MPH.
- MP 300.3, both ends siding
 Less than 100 TOB 40 MPH.
- 100 TOB and over 25 MPH.
- MP 306.8, both ends siding
 Less than 100 TOB 40 MPH.
- 100 TOB and over 25 MPH.
- MP 308.2, OG&E Sooner Spur 20 MPH.
- MP 312.7, both ends siding
 Less than 100 TOB 40 MPH.
- 100 TOB and over 25 MPH.
- MP 316.3 35 MPH.
- MP 321.1 35 MPH.

MP 321.6, both ends north siding	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 321.6, both ends south siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 328.4, MP 338.8 and MP 347.2, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 352.6, turnout, Enid Industrial Spur	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 352.6, both ends siding and middle crossover	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 360.1, MP 370.1 and MP 376.8, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 380.6, turnout	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 385.8, crossover	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 387.4, turnout	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 388.8, turnout to GM crossover	10 MPH.
MP 390.5, both ends siding	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 393.2, MP 401.8 and MP 408.1, both ends siding	
Less than 100 TOB	40 MPH.
100 TOB and over	25 MPH.
MP 417.3, both ends siding	20 MPH.
MP 510.2, MP 502.6, MP 495.6, MP 488.1, MP 478.0, MP 469.6 and MP 460.3, both ends siding	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.
MP 450.4, both ends siding	25 MPH.
MP 443.0, MP 433.1 and MP 423.1, both ends siding	
Less than 100 TOB	30 MPH.
100 TOB and over	25 MPH.

1(D). Speed—Other

Arkansas City, east siding between MP 263.4 and MP 264.1	20 MPH.
Ardmore	
Lead Track 6311 and Rack Tracks 6314, 6315 and 6316 Total Refinery	
Georgia Pacific Spur Track 6312	
Tracks 6326, 6376 and 6381, Switching Lead (four-axle units only)	5 MPH.
Oklahoma City, A.C. Humko Tracks (four-axle units only)	5 MPH.
Condea Vista Plant, movement over facing point switch (four-axle units only)	5 MPH.
GM Yard, Loading Ramp Tracks 971 to 977 (four-axle units only)	5 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following locations:

- MP 278.8 to MP 279.4
- MP 289.8 to MP 320.4
- MP 325.3 to MP 332.4
- MP 339.5 to MP 354.9
- MP 368.8 to MP 383.5
- MP 388.1 to MP 408.0
- MP 512.4 to MP 504.5
- MP 479.1 to MP 413.6X

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
100 to 109 degrees F	Maximum 45 MPH, observing existing restrictions.	Maximum 40 MPH, observing existing restrictions.	Maximum 55 MPH, observing existing restrictions.
110 degrees F and over	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.	Maximum 50 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions

Maximum Gross Weight of Car

Arkansas City to Gainesville 143 tons, Restriction E

3. Type of Operation

CTC—in effect:

On main tracks and sidings, Arkansas City to Gainesville, EXCEPT on track 198, between MP 262.6 and MP 264.1, Arkansas City.

Interlocking at Black Bear, MP 316.3. (Obtain track and time or authority to pass Stop indication from the Red Rock dispatcher—phone 234-2321.)

Signals Not Conforming to Aspects and Indications Shown in the System Special Instructions

Aspect	Name	Indication
Red Over Flashing Yellow	Diverging Approach (Rule 9.1.11 does not apply.)	Proceed through diverging route; prescribed speed through turnout; approach next signal preparing to stop, if exceeding 40 MPH immediately reduce to that speed.

4. General Code of Operating Rules Items

Rule 1.14—BNSF trains use UP tracks between Shawnee and Harter.

Rule 6.19—When flagging is required, distance will be 2 miles.

Rule 10.2—Main track switches not equipped with electric locks:

- MP 366.7 (Pipe Yard)
- MP 366.9 (Pipe Yard)

5. Trackside Warning Detectors (TWD)

- A. Protecting bridges, tunnels or other structures
 - MP 407.4 (shifted load only)—WWD only—Recall Code 0
 - MP 416.2 (shifted load only)—EWD only—Recall Code 0
 - MP 421.1—WWD only—Recall Code 8
- B. Other TWD locations
 - MP 270.8—Recall Code 8
 - MP 296.9—Recall Code 8
 - MP 317.5—Recall Code 8
 - MP 341.5—Recall Code 0
 - MP 358.9—Recall Code 8
 - MP 377.8—Recall Code 8
 - MP 395.5—Recall Code 0
 - MP 404.2—Recall Code 8
 - MP 505.7—Recall Code 8
 - MP 482.6—Recall Code 0
 - MP 457.6—Recall Code 8
 - MP 437.5—Recall Code 8

- MP 421.1—EWD only—Recall Code 8
- MP 414.5X—Recall Code 8
- C. Other detectors
 - MP 467.5—High Water
 - EWD Signal 4662
 - WWD controlled signals at WE Dougherty

6. FRA Excepted Track

Ardmore—Tracks 6312, 6313, 6314, 6315, 6316, 6326, 6328, 6346, 6347, 6348, 6349, 6353, 6354, 6360, 6363, 6366, 6367, 6368, 6369, 6370, 6371, 6381.

Arkansas City—Tracks 136, 138, 144, 212, 219, 244, 301, 303, 304, 306, 501, 502, 503, 504, 505.

Davis—Track 6216.

Guthrie—Tracks 1109, 1136.

Marietta—Tracks 6403, 6405.

Oklahoma City—Tracks 111, 112, 211, 224, 225, 324, 325, 327, 328, 631, 637, 705, 824, 825, 826, 827, 828, 831, 843, 844, 845, 851, 877, 878, 879, 880.

Pauls Valley—Tracks 6001, 6002, 6003, 6099, 6121.

Ponca City—Tracks 2116, 2117, 2118, 2131, 2132, 2134, 2203, 2209, 2210.

Shawnee Industrial Spur—Tracks 3701, 3702, 3703, 3704, 3705, 3707, 3708, 3712, 3715, 3716, 3717, 3718, 3795, 3796, 3797, 3798, 3799.

Thackerville—Tracks 6406, 6407.

Wynnewood—Track 6201.

7. Special Conditions

VICX Cars—VICX 4800-series cars, loaded up to 263 gross tons, may operate between Gainesville and Oklahoma City on the Red Rock Subdivision with the following restriction: 25 MPH maximum speed at Bridge 412.1 near Purcell, Oklahoma.

VICX 9000-series cars, loaded up to 157.5 gross tons, may operate between Gainesville and Oklahoma City on the Red Rock Subdivision with the following restriction: Limit to 45 MPH maximum speed, where permitted; 25 MPH maximum speed at Bridge 412.1 near Purcell, Oklahoma.

Welded Rail—Maximum authorized speed for trains handling continuous welded or jointed rail on all curves of 6 degrees or more is 25 MPH. Location of such curves is to be furnished by the train dispatcher.

Arkansas City Do not operate locomotives over ballast pit on Track 219.

Guthrie No six-axle units are allowed on Track 1114.

Perry Track 4505 is out of service.

Ardmore Trains designated as Key Trains are restricted to 10 MPH on the main track.

Purcell to Gainesville Units with six-axle trucks will not be used on track other than main track, sidings and yards unless authorized. Loads or engines should not be moved across Bridge 4.0 Uniroyal Lead. Between Gainesville (MP 413.6X) and Thackerville (MP 417.8X) designated by an X.

Close Clearance

- Ponca City Track 2336—Conoco coke loading
- Tracks 2312, 2313, 2314, 2315—Conoco light oil facility
- Tracks 2426, 2427, 2428
- Tracks 2521 and 2522—Continental Carbon
- Red Rock OGE unloading dumper
- Edmond Tracks 418 and 419—Ralston Purina
- Britton Track 406—Acme Brick
- Oklahoma City Tracks 111 and 302—Commercial Warehouse
- Track 211—Coors Central
- Track 224—Continental Plastic
- Track 232—Old Freight Warehouse
- Track 301—Macklanburg Duncan
- Track 303—Macklanburg Duncan
- Tracks 842 and 843—A.C. Humko
- Track 913—Lamson Sessions
- Track 705—API Enterprises
- Track 801—Acco Mill
- Track 823—Trinity Industries
- Shawnee Concrete dock of Buford White Lumber Co., Track 3707
- UP Overpass MP 132.62
- Shawnee Industrial Spur .. TTQX cars, BNSF 306000-306153, GVSR 89000-89058 and CRLE 1997 are all car kind code M3E (Hi-Tri Levels) and are not permitted on this track.
- MP 407.4 Shifted load detector
- MP 416.2 Shifted load detector
- Wynnewood Gary Williams Refinery Track 6205—Locomotives are not allowed to enter the LPG Rack. Locomotives must hold on to extra cars in order to switch this track. There must be a person located on each side of the car while pulling cars out or shoving cars into the LPG Rack.
- Kerr McGee Refinery structure between Rack Tracks 6206 and 6207 will not clear person on side of car.
- Loading Track 6208 Coke Spur in Kerr McGee has impaired clearance on east end. Point beyond which cars or engine must not pass has been marked with yellow paint on rail and dock. Crew switching this track must not go past this point when spotting or pulling cars.
- When cars are set out by westbound trains for repairs by Equipment Team, they must be set to Track 6201.
- Davis Must have three-car cover ahead of engines when setting out at Halliburton Track 6216 on account of close clearance at cement dock.
- MP 421.1 Shifted load detector

Critical Areas—See System Special Instructions Item 33,

Flash Flood Warnings:

- MP 294.0 to MP 296.0
- MP 305.5 to MP 306.0
- MP 323.2 to MP 323.5
- MP 346.5 to MP 347.8
- MP 352.0 to MP 361.0
- MP 365.8 to MP 366.0
- MP 377.1 to MP 377.2
- MP 379.1 to MP 379.2
- MP 381.2 to MP 381.6
- MP 383.2 to MP 383.4
- MP 385.7 to MP 385.8
- MP 386.4 (SE 29th St.)
- MP 387.9 to MP 388.1 (High St.)
- MP 396.4
- MP 397.4 (Franklin Road)
- MP 403.5
- MP 404.7 (Highway 9 Overpass)
- MP 405.3
- MP 412.1
- MP 414.4
- MP 416.7 to MP 418.4
- MP 414.4
- MP 418.5
- MP 515.4 to MP 515.5
- MP 502.4 to MP 502.5
- MP 493.0 to MP 497.2
- MP 490.7
- MP 474.8 to MP 475.0
- MP 465.2 to MP 468.4
- MP 464.4
- MP 413.6X to MP 461.5

8. Line Segments

Yard Line Segments

Line Segment Limits

- 7451 Arkansas City Yard
- 7452 Ponca City Yard
- 7453 Nowers Yard
- 7454 Oklahoma City GM Yard
- 7455 Flynn Yard

Road Line Segments

Line Segment Limits

- 7400 Arkansas City to Purcell
- 7500 Purcell to Gainesville

9. Locations Not Shown as Stations

Name	Mile Post Location	Capacity Feet	Switch Opens
Kildare Coop Spur	281.2	1,984	West
OG&E Sooner Spur	308.2	34,141	East
Team Track (Pipe Yard)	366.7	710	Both
Ralston Purina Lead (Dereco)	373.0	11,024	Both
Packing Town Industrial Spur	385.5	1,900	Both
API Plastics Lead	387.5	2,500	East
Flynn Industrial Spur	388.8	22,338	Both
Shawnee Industrial Spur	384.7	55,968	West
Shawnee Industrial Spur - Runaround	125.3	700	West
Shawnee Industrial Spur - Wolverine Tube	125.3	1,178	West
Shawnee Industrial Spur - Mobile Chemical Co.	125.9	2,267	West
Shawnee Industrial Spur - TDK Ferrites	127.6	914	West
Pauls Valley Industrial Lead	496.1	14,050	West
Rayford Storage Track	473.3	2,200	Both
Crusher	466.4	11,050	West
Ardmore Industrial Park	449.6	26,400	Both
Borden Chemical	414.0X	800	West

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Strong City Subdivision MAIN LINE STATIONS		Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
				Rule 4.3					
		61150	0.0	NEVA	J			7.6	
		59415	7.6	HYMER				11.6	
		59435	19.2	BURDICK				6.3	
		59445	25.5	UP RR LOST SPRINGS	A JR			5.4	
			30.9	SSW RR	A			5.9	
2,785	59465	36.8	HOPE					7.6	
	59475	44.4	NAVARRE					7.7	
	59485	52.1	ENTERPRISE					6.0	
4,158	59500	58.1	ABILENE	BPR				0.7	
		58.8	SA JCT.	JR				0.2	
		59.0	UP RR	RA				8.0	
	59705	67.0	TALMAGE					11.6	
1,874	59765	78.6	LONGFORD		TWC	7301		14.4	
2,596	59775	93.0	MILTONVALE					9.1	
	59780	102.1	AURORA					7.9	
	59790	110.0	COOK					3.2	
		113.2	KYLE RR	RS				0.3	
6,825	59800	113.5	CONCORDIA	R				6.6	
		120.1	KYLE RR	g				7.6	
	59820	127.7	KACKLEY					6.0	
	59830	133.7	KYLE RR COURTLAND	JRS				7.5	
	59840	141.2	LOVEWELL					5.8	
	59850	147.0	WEBBER					4.9	
		151.9	STATE LINE	R				1.2	
		153.1	SUPERIOR JCT.	JR				0.7	
	59900	153.8	SUPERIOR	JPR				153.8	

Between MP 151.0 and Superior is under the jurisdiction of the Nebraska Division.

RADIO COMMUNICATION	Tone Call-In				
	CH	DS	MC	CQS	EMER
Neva to Superior	36	2	4	5&7	9

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431
 Dispatcher—(817) 234-2317, Fax (817) 234-2417

1. Speed Regulations

1(A). Speed—Maximum

Neva to Superior 40 MPH.

1(B). Speed—Permanent Restrictions

- MP 0.0 to MP 25.5 10 MPH.
- MP 25.5 20 MPH.
- MP 51.7 to MP 53.0 35 MPH.
- MP 58.1 to MP 59.2 (HER) 15 MPH.
- MP 59.0 20 MPH.
- MP 60.7 to MP 60.9 20 MPH.
- MP 63.6 (Bridge) 20 MPH.
- MP 92.7 to MP 93.4 20 MPH.
- MP 113.2 (Stop) 15 MPH.
- MP 120.1 (Approach prepared to stop) 40 MPH.
- MP 133.7 (Stop) 30 MPH.
- MP 133.8 to MP 134.0 20 MPH.
- MP 152.6 to MP 153.1 15 MPH.

1(C). Speed—Switches and Turnouts—None

1(D). Speed—Other

Locomotive cranes/pile drivers, AT-199454
 through AT-199468 and Jordan spreaders 20 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following location:
 MP 25.5 to MP 58.1

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB and Over
100 to 109 degrees F	Maximum 35 MPH, observing existing restrictions.	Maximum 30 MPH, observing existing restrictions.
110 degrees F and over	Restricted speed from 1100 hrs. to 2000 hrs. unless track inspected after 1400 hrs., then 30 MPH, observing existing restrictions.	Restricted speed from 1100 hrs. to 2000 hrs. unless track inspected after 1400 hrs., then 30 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions

Maximum Gross Weight of Car

Neva to Longford 143 tons, Restriction C
 Longford to Superior 136 tons, Restriction F

3. Type of Operation

TWC—in effect:

Between Neva and Superior.

Restricted Limits—in effect:

- Lost Springs MP 25.5 to MP 26.0
- Abilene MP 55.6 to MP 60.2
- Concordia MP 113.1 to MP 114.8
- Courtland MP 132.7 to MP 134.7
- Superior MP 151.2 to Wymore Subdivision

4. General Code of Operating Rules Items

Rule 1.14—Courtland—BNSF trains will use KYLE RR main track and siding.

Strong City Subdivision crews may use Wymore Subdivision main track at Superior.

Wichita-Lost Springs—BNSF trains will use UP tracks between Wichita and Lost Springs.

SA Jct.-Lost Springs—UP trains will use BNSF tracks between SA Jct. and Lost Springs.

Rule 6.19—When flagging is required, distance will be 2 miles.

5. Trackside Warning Detectors (TWD)

- A. Protecting bridges, tunnels or other structures: None
- B. Other TWD locations
 - MP 34.8—Recall Code 8
 - MP 63.5—Recall Code 8
 - MP 90.5—Recall Code 8
 - MP 123.0—Recall Code 8

6. FRA Excepted Track

Location	Track No.	Track Name
Navarre	7051	House Track
Enterprise	7061	Team Track

Abilene	7105	Yard Track
	7107	Runaround Track
	7108	Turntable Track
	7109	Elevator Track
	7203	Elevator Track
	7204	Elevator Track
	7205	Elevator Track
	7208	DeBruce Grain
	7209	DeBruce Grain
	7210	DeBruce Grain
	7303	Kay Tee Elevator Track
	7304	Great Plain
	7305	Consolidated Nutrition L.C.
Longford	7531	Elevator Track
Miltonvale	7552	House Track
	7554	Elevator Track
	7555	Elevator Track
Aurora	7562	Elevator Track
Concordia	7603	Co-op Track
	7604	House Track
	7605	Spur Track
Kackley	7711	Elevator Track
Courtland	7721	Elevator Track
Lovewell	7731	Elevator Track
Webber	7741	House Track
Superior	5305	Team Track
	5337	Scouler-Bishop Track
	5309	Runaround

7. Special Conditions

Between Neva and Lost Springs—Approach all public crossings protected by automatic crossing devices prepared to stop until it is known that such devices are activated. If the devices are not activated, a member of the crew must protect the crossing.

Lost Springs—Main track switch from connection track to Strong City Subdivision will be left lined and locked as last used.

Abilene—Conductor of crew going on duty at Abilene will call UP train dispatcher at Omaha, Nebraska, 1-800-726-1121, to operate on UP between Wichita and Lost Springs. Track warrants and bulletin books are located at above locations. Use radio channel 42 on UP.

Main track switches at either end of yard will be left lined and locked as last used.

UP and CKRY trains and engines must not enter BNSF tracks until permission is received from BNSF train dispatcher No. 17.

Concordia—Main track switches at the east and west end of tracks 7602 and 7611 will be left lined and locked as last used.

Superior—Junction switches normally lined for Wymore Subdivision, Nebraska Division.

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:
 MP 0.0 to MP 2.0
 MP 13.4
 MP 15.0 to MP 16.0
 MP 63.1
 MP 71.9
 MP 112.0 to MP 112.9
 MP 117.2 to MP 118.3
 MP 123.1 to MP 123.5
 MP 131.5
 MP 136.7
 MP 149.7

8. Line Segments

Road Line Segments

Line Segment Limits

7301 Neva to Superior

9. Locations Not Shown as Stations—None

WESTWARD ↓	Length of Siding (Feet)	Station Nos.	Mile Post	Topeka Subdivision MAIN LINE STATIONS		Rule 4.3	Type of Oper.	Line Segment	Miles to Next Stn.	EASTWARD ↑
		61930	0.0	HOLLIDAY	J		CTC	7101	11.1	
	8,600	60530	11.1	DESOTO	P				15.4	
	6,500	60500	26.5	LAWRENCE	BCTY				5.1	
	2,500	60475	31.6	LAKEVIEW					14.4	
	7,900	60425	46.0	TECUMSEH					6.6	
	2,050	60200	50.2W 50.6W	BNSF RR TOPEKA	A BCTY		TWC ABS ATS		6.7	
	2,450	60220	57.3	PAULINE					14.3	
		60232	71.6	SCRANTON					5.3	
	3,400	60236	76.9	BURLINGAME					7.4	
	5,000	60240	84.3	OSAGE CITY					12.2	
		60248	96.5	READING				14.5		
			111.0	N.R. JCT.	JT		CTC	113.0		

Tone Call-In					
RADIO COMMUNICATION	CH	DS	MC	CQS	EMER
Holiday to NR Jct.	30	2	4	5&7	9

Train Dispatcher Telephone Numbers

Chief Dispatcher—(817) 234-2331, Fax (817) 234-2431
 Dispatcher—(817) 234-2317, Fax (817) 234-2417

1. Speed Regulations

1(A). Speed—Maximum

	Passenger	Freight
Holliday to N.R. Jct.	79 MPH.	55 MPH.
Sunflower Ordinance Track MP 11.3	25 MPH.	

See System Special Instructions Item 1(C).

1(B). Speed—Permanent Restrictions

MP 0.0 to MP 0.3	30 MPH.	30 MPH.
MP 0.7 to MP 0.9	65 MPH.	
MP 2.8 to MP 3.3	55 MPH.	
MP 3.7 to MP 3.9	70 MPH.	
MP 6.3 to MP 6.5	75 MPH.	
MP 8.8 to MP 9.3	65 MPH.	
MP 15.1 to MP 16.1	70 MPH.	
MP 18.3 to MP 19.5	65 MPH.	
MP 23.4 to MP 23.6	55 MPH.	
MP 24.6 to MP 24.8	70 MPH.	
MP 25.2 to MP 25.9	60 MPH.	
MP 26.2 to MP 27.4 (Equipped with westward and eastward ATS inert inductors)	35 MPH.	30 MPH.
MP 28.7 to MP 30.3	70 MPH.	
MP 34.8 to MP 35.2	55 MPH.	50 MPH.
MP 36.9 to MP 37.8	70 MPH.	
MP 51.1 to MP 51.3	65 MPH.	
MP 51.5 to MP 52.0	45 MPH.	40 MPH.
MP 52.2 to Fourth St. (Equipped with westward inert inductors)	10 MPH.	10 MPH.
MP 52.6	10 MPH.	10 MPH.
Fourth St. to Tenth St. Crossings (HER)	20 MPH.	20 MPH.
MP 58.9 to MP 59.1	70 MPH.	
MP 59.8 to MP 60.0	70 MPH.	
MP 61.0 to MP 63.6	55 MPH.	50 MPH.
MP 63.6 to MP 64.2 (Equipped with westward and eastward ATS inert inductors)	50 MPH.	45 MPH.
MP 64.5 to MP 64.7	65 MPH.	
MP 65.0 to MP 65.3	70 MPH.	
MP 66.5 to MP 67.2	50 MPH.	50 MPH.
MP 67.5 to MP 67.8	60 MPH.	
MP 69.0 to MP 69.4	60 MPH.	
MP 69.8 to MP 70.1	75 MPH.	
MP 75.1 to MP 75.3	60 MPH.	
MP 76.0 to MP 77.1	60 MPH.	

	Passenger	Freight
MP 83.3 to MP 83.5	60 MPH.	
MP 84.0 to MP 84.4	50 MPH.	40 MPH.
MP 84.4 to MP 85.5 (HER)	40 MPH.	40 MPH.
MP 85.3 to MP 85.7	40 MPH.	40 MPH.
MP 88.5 to MP 88.9	60 MPH.	
MP 89.5 to MP 90.2	75 MPH.	
MP 93.7 to MP 94.0	70 MPH.	
MP 96.1 to MP 96.4	60 MPH.	
MP 97.8 to MP 98.3	60 MPH.	50 MPH.
MP 107.3 to MP 108.3	60 MPH.	
MP 110 to MP 110.3	30 MPH.	30 MPH.
MP 110.8 to MP 111.0 (Equipped with westward ATS inert inductors)	30 MPH.	30 MPH.

1(C). Speed—Switches and Turnouts

MP 0.0, turnout Emporia Subdivision		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.
MP 11.1, both ends siding, spring switches	10 MPH.	10 MPH.
MP 26.5, both ends siding, spring switches	10 MPH.	10 MPH.
MP 31.6, both ends siding, spring switches	10 MPH.	10 MPH.
MP 46.0, both ends siding, spring switches	10 MPH.	10 MPH.
MP 50.6, west end of yards, spring switches	10 MPH.	10 MPH.
MP 50.6W, both ends siding, spring switches	10 MPH.	10 MPH.
MP 57.3, both ends siding, spring switches	10 MPH.	10 MPH.
MP 76.9, both ends siding	10 MPH.	10 MPH.
MP 84.3, both ends siding, spring switches	10 MPH.	10 MPH.
MP 111.0, turnout Emporia Subdivision		
Less than 100 TOB	30 MPH.	30 MPH.
100 TOB and over	25 MPH.	25 MPH.

1(D). Speed—Other

DeSoto—Sunflower Ordinance Track MP 11.3—Speed limit is 10 MPH over bridge Lexington Street, Old Highway 10.

Speed limit on main track from DeSoto to Sunflower Ordinance Plant Area Gate No. 3 is 10 MPH on curves. Speed limit is 15 MPH from Gate No. 3 to end of track west of Koch Sulfur Plant. Speed limit is 5 MPH on other than main track.

Pauline—Tracks 718 through 737—Speed limit is 5 MPH.

Temperature Restrictions

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following locations:

- MP 7.6 to MP 8.4
- MP 24.9 to MP 25.4
- MP 34.3 to MP 35.3
- MP 46.9

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
100 to 109 degrees F	Maximum 45 MPH, observing existing restrictions.	Maximum 40 MPH, observing existing restrictions.	Maximum 60 MPH, observing existing restrictions.
110 degrees F and over	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.	Maximum 50 MPH, observing existing restrictions.

When the ambient (air) temperature is in one of the following ranges, the applicable speed restriction will apply at the following locations:

- MP 61.5 to MP 62.5
- MP 64.2 to MP 66.0
- MP 66.2 to MP 67.7
- MP 77.5 to MP 78.0
- MP 94.2 to MP 96.4

Temperature Range	Freight Trains Up to 100 TOB	Freight Trains 100 TOB & Over	Passenger Trains
100 to 109 degrees F	Maximum 45 MPH, observing existing restrictions.	Maximum 40 MPH, observing existing restrictions.	Maximum 60 MPH, observing existing restrictions.
110 degrees F and over	Maximum 40 MPH, observing existing restrictions.	Maximum 35 MPH, observing existing restrictions.	Maximum 50 MPH, observing existing restrictions.

See Item 1 of the System Special Instructions for additional speed restrictions.

2. Bridge and Equipment Weight Restrictions
Maximum Gross Weight of Car
 Holliday to N.R. Jct. 143 tons, Restriction E

3. Type of Operation
CTC—in effect:
 Begins at MP 0.0 (Eastward)
 Begins at MP 110.9 (Westward)

TWC—in effect:
 Between Holliday and MP 110.9

Yard Limits
 MP 22.5 to MP 30.0
 MP 49.7 to MP 53.0

4. General Code of Operating Rules Items
Rule 6.19—When flagging is required, distance will be 2 miles.

5. Trackside Warning Detectors (TWD)
 A. Protecting bridges, tunnels or other structures: None
 B. Other TWD locations
 MP 21.8—Recall Code 0
 MP 82.3—Recall Code 0
 MP 104.6—Recall Code 0
 C. Other detectors
 MP 3.0—High Water—Signals 21 and 42
 MP 36.9 to MP 37.2—Slide Fence—Signals 341 and 372
 MP 62.9—High Water—Signals 621 and 652
 MP 85.8 to MP 86.1—High Water
 WWD Signal 841
 EWD Signal 862

6. FRA Excepted Track
 DeSoto 1102 Storage Track
 1103 Storage Track
 Eudora 1902 House Track
 Lawrence 2725 Hill Track
 2729 Morton Building Spur
 2730 Farmers Coop
 2731 Farmers Coop
 2804 Lawrence Paper
 2805 Lawrence Paper
 2806 Lawrence Paper
 2807 Packer Plastics
 2808 Quaker A
 2809 Quaker B
 2810 Quaker C
 2811 Quaker D
 2812 Runaround Track
 2813 T.R.W. Spur
 2814 Lead Track

Lawrence 2815 Runaround Track
 2816 K-Mart
 2817 KP&L Track
 2818 KP&L Track "B"
 2819 KP&L Track "C"
 2820 KP&L Team Track
 2898 Callery Lead
 Tecumseh 0802 KP&L
 0803 KP&L
 Topeka 0116 13 A Track
 0121 1 Rip
 0122 2 Rip
 0123 3 Rip
 0124 4 Rip
 0125 5 Rip
 0126 6 Rip
 0131 Whelan No. 4
 0134 B & B No. 10
 0137 B & B No. 13
 0138 B & B No. 14
 0139 B & B No. 15
 0144 Wye Track
 0148 PWP Track
 0151 MP Interchange
 0161 Grain Track
 0162 Grain Track
 0206 City Track No. 6
 0207 City Track No. 7
 0210 City Track No. 10
 0211 City Track No. 11
 0214 Coach Spur
 0215 City Lead
 0216 City Runaround
 0218 North Dock
 0219 Clean Out Track
 0220 River Lead
 0221 Hills "A"
 0222 Hills "B"
 0223 Hills "C"
 0225 I.H. Mill House Track
 0226 I.H. Mill East Track
 0229 First St. Lead
 0236 SSW Interchange
 0239 I.H. Mill West Track
 0240 I.H. Mill Grain Track
 0241 I.H. Mill Tail Track
 0301 West Roundhouse Track
 0302 Fuel Track
 0303 Hospital Track
 0304 East Roundhouse Track
 0305 Old Coal Track
 0306 Old No. 25
 0307 Old No. 24
 0308 North No. 5
 0309 North No. 8
 0311 North No. 6
 0312 Supply Car Track
 0313 Business Car Spur
 0314 Coach Shop Incoming Track
 0315 Coach Shop Outgoing Track
 0317 North No. 4
 0318 Coach Shop Track 4
 0319 Storehouse Platform Track
 0320 Oil House No. 1
 0321 Storehouse
 0324 Alley Track
 0325 Gas House Track

Topeka 0326 Ramp Track
 0330 East Powerhouse Lead
 0331 North Powerhouse Track
 0332 Powerhouse Crane Track
 0333 South Powerhouse Track
 0336 Center Mach. Shop Track
 0337 West Mach. Shop Track
 0338 East Mach. Shop Track
 0340 Ball Park Track
 0341 Crane Track
 0342 Belly Track
 0343 Oil Track
 0361 Old Shed #1
 0362 Old Shed #2
 0363 Old Shed #3 (Out of Svc.)
 0364 Old Shed #4
 0367 Old Shed #7
 0369 Old Shed #9
 0401 Shop 1
 0403 Shop 3
 0404 Shop 4
 0405 Shop 5 and Branner 3
 0406 Shop 6
 0407 Shop 7
 0408 Shop 8 and Branner 4
 0409 Shop 9 and Branner 5
 0410 Shop 10
 0411 Shop 11
 0413 Shop 13
 0414 Shop 14
 0415 Shop 15 and Branner 15
 0417 Branner 1
 0418 Branner 2, New M.L.
 0426 Substore 8
 0427 Substore 7
 0428 Scrap Wheel Track
 0429 New Wheel Track
 0430 Boring Track
 0433 Crane Tie Up
 0434 New Scrap Track
 0435 Scrap Track
 0437 Scrap Track
 0499 New Freight Main
 0503 East Field 3
 0504 East Field 4
 0505 East Field 5
 0506 East Field 6
 0507 East Field 7
 0508 East Field 8
 0509 East Field 9
 0510 East Field 10
 0511 East Field 11
 0512 East Field 12
 0513 East Field 13
 0514 East Field 14
 0515 East Field 15
 0516 East Field 16
 0603 Old Wye
 0604 Seaboard House Track
 0605 SSW Lead
 0607 KAW No. 5
 0612 North Topeka Siding
 0613 Team Track
 0614 McGivern Paint Spur
 0616 St. Mary Grain
 Pauline 0703 Seymour Lead
 0704 Frito Lay Track

Pauline 0705 Pauline Coop
 0706 Pauline Coop
 0707 Pauline Coop
 0708 Runaround Track
 0711 Airbase Lead
 0717 Storage 1
 0718 Storage 2
 0719 Storage 3
 0720 Storage 4
 0721 Storage 5
 0722 Storage 6
 0723 Lead to Warehouses 1-6
 0724 Warehouse No. 1
 0725 Warehouse No. 2
 0726 Warehouse No. 3
 0727 Warehouse No. 4
 0728 Warehouse No. 5
 0729 Warehouse No. 6
 0730 Lead to Warehouses 7-12
 0731 Warehouse No. 7
 0732 Warehouse No. 7B
 0733 Warehouse No. 8
 0734 Warehouse No. 9
 0735 Warehouse No. 10
 0736 Warehouse No. 11
 0737 Warehouse No. 12
 Scranton 9201 Scranton Coop
 Burlingame 9802 House Track
 9803 Elevator Track
 Osage City 9902 Runaround Track
 9904 House Track
 Reading 1701 Old Siding (West SW only)

7. Special Conditions

TTQX Cars—TTQX cars will not be permitted to operate on the Topeka Subdivision unless their move is protected by Form C High Wide Clearance.

Double-stack intermodal cars are not allowed to pass bridge located at MP 107.9 due to bridge height restriction.

Lawrence—Quaker Oats Food Plant—Structures on tracks 2808, 2809, 2810 and 2811 will not clear a man on the side of a car. Also, in addition to the lead track derails, two-way derails are located at the plant entrance on tracks 2809, 2810 and 2811.

Topeka—From BNSF RR Interlocking west to MP 52.0 are duplicate mileposts, which are indicated by a "W" (50.2W to 52.0W).

Pauline—Canopy constructed on both sides of tracks 0731 and 0732 will not clear a man on the side of a car or cars with plug doors open.

Car doors should not be spotted opposite poles holding canopy, which will prohibit opening and closing of doors.

Test Mile

MP 3 westbound and MP 5 eastbound.

Critical Areas—See System Special Instructions Item 33, Flash Flood Warnings:

- MP 14.0 to MP 18.0
- MP 26.9 to MP 27.2
- MP 34.2 to MP 36.0
- MP 61.6 to MP 61.8
- MP 63.4 to MP 63.5
- MP 81.3 to MP 81.8
- MP 85.8 to MP 86.1
- MP 110.0 to MP 111.0

8. Line Segments

Yard Line Segments

Line Segment Limits

7153 Topeka Yard

Road Line Segments

Line Segment Limits

7101 Holliday to Topeka

7102 Topeka to N.R. Jct.

9. Locations Not Shown as Stations

Name	Mile Post Location	Capacity Feet	Switch Opens
Noria Storage Track	24.0	5,600	Both
Farmland Industries Spur	24.6	8,950	West
Industrial Spur	28.7	9,400	East
Storage Tracks	29.3	3,900	East
Kansas Power & Light Co. Spur	30.3	1,800	West
Kansas Power & Light Co.	47.0	Yard	Both
Seymour Industrial Spur	55.6	1,250	West

This page left blank intentionally.

GCOR and MWOR Rule 15.2A—Verbal Permission:

When granting verbal permission, use the following words:

“Foreman (name) (of Gang No.) using track bulletin no. ___ line no. ___ between MP ___ and MP ___ on ___ Subdivision.”

1. To permit a train to pass a red flag (or light) without stopping, add the following:
 “Unless otherwise restricted, (train) may pass red flag or light located at MP ___ without stopping.” (Specify track if necessary.) Unless otherwise restricted, the train may pass the red flag or light at restricted speed without stopping.
2. To permit a train to proceed at other than restricted speed, add the following:
 “Unless otherwise restricted, (train) may proceed through the limits at ___ MPH (or at maximum authorized speed).” (Specify track if necessary.) The train may move through the limits at the speed specified, unless otherwise restricted.
3. To require a train to move at restricted speed, but less than 20 MPH, add the following:
 “Unless otherwise restricted, (train) must proceed at restricted speed but not exceeding ___ MPH.” (Specify distance and track if necessary.) Unless otherwise restricted, the train must proceed at restricted speed and not exceed the speed specified.
4. To permit a train to move at a higher speed after receiving permission to pass a red flag or light at specific speed for a specific distance, add the following:
 “Unless otherwise restricted, (train) may pass red flag (or light) located at MP ___ (without stopping) at ___ MPH until the entire train has passed MP _____. You may then proceed at (higher speed) MPH (or at maximum authorized speed).” (Specify track if necessary.) Only one additional speed can be given. It must be higher than the speed permitted by the red flag or light, and the speed will extend to the end of the Form B limits, unless otherwise restricted.

Speed Tables

SPEED TABLE								
Time Per Mile		Miles Per Hour	Time Per Mile		Miles Per Hour	Time Per Mile		Miles Per Hour
Min.	Sec.		Min.	Sec.		Min.	Sec.	
-	36	100	-	58	62.1	1	40	36.0
-	37	97.3	-	59	61.0	1	42	35.3
-	38	94.7	1	-	60.0	1	44	34.6
-	39	92.3	1	02	58.0	1	46	34.0
-	40	90.0	1	04	56.2	1	48	33.3
-	41	87.8	1	06	54.5	1	50	32.7
-	42	85.7	1	08	52.9	1	52	32.1
-	43	83.7	1	10	51.4	1	54	31.6
-	44	81.8	1	12	50.0	1	56	31.0
-	45	80.0	1	14	48.6	1	58	30.5
-	46	78.3	1	16	47.4	2	-	30.0
-	47	76.6	1	18	46.1	2	05	28.8
-	48	75.0	1	20	45.0	2	10	27.7
-	49	73.5	1	22	43.9	2	15	26.7
-	50	72.0	1	24	42.9	2	30	24.0
-	51	70.6	1	26	41.9	2	45	21.8
-	52	69.2	1	28	40.9	3	-	20.0
-	53	67.9	1	30	40.0	3	30	17.1
-	54	66.6	1	32	39.1	4	-	15.0
-	55	65.5	1	34	38.3	5	-	12.0
-	56	64.2	1	36	37.5	6	-	10.0
-	57	63.2	1	38	36.8	12	-	5.0

FEET	TENTHS OF A MILE
528	0.1
1,056	0.2
1,584	0.3
2,112	0.4
2,640	0.5
3,168	0.6
3,696	0.7
4,224	0.8
4,752	0.9