TABLE OF TRAIN SPEEDS								
Seconds	Seconds Miles Seconds Miles							
per	per	per	per					
Mile	Hour	Mile	Hour					
51	70.6	66	54.5					
52	69.2	67	53.7					
53	67.9	68	52.9					
54	66.7	69	52.2					
55	65.5	70	51.4					
56	64.3	75	48					
57	63,2	80	45					
58	62,1	85	42.4					
59	61	90	40					
60	60	100	36					
61	59	120	30					
62	58.1	144	25					
63	57.1	180	20					
64	56.3	240	15					
65	55.4	360	10					

# CHICAGO, MILWAUKEE, ST. PAUL AND PACIFIC RAILROAD CO.

BURLINGTON NORTHERN RAILROAD CO.

# JOINT TIME TABLE No. 23

Taking Effect at 1:01 A.M. Central Standard Time

**Sunday, October 30, 1983** 

For the information and government of employees only

## ST. CROIX TOWER TO DIVISION STREET—WESTWARD

							FIRST	CLASS			 		
							7	Ĩ I	T			<u> </u>	
STATIONS	Distance from St. Croix	Office Hours	Station Numbers	Line Segment	BN Mile Post Location	CMStP&P Mile Post Location	NRPC Passenger						
	Tower						Daily						
ST. CROIX TOWER	0.0	Continuous	00409		410.5		P.M. 9:40			-			
CURRY 5.7	5.0	None	00413	1	415.4								
ST. PAUL PARK	10.7	None	00419	1	421.3	~	1						
NEWPORT	11.9	Continuous	00420		422.2	402.5			<del>- +</del>		 1		
RED ROCK	13.0	None		2		403.12	· ·				 <del>                                     </del>		
1.8 DUNN	14.8	None	1917.	3		405.05					 <u> </u>		
OAKLAND	16.4	Continuous	00424			406.55					 		
ST. PAUL YARD	17.2	Continuous				407.4	<u> </u>						
DAYTONS BLUFF	17.7	Continuous	00426	1		407.9					 <del>                                     </del>		
HOFFMAN AVE.	18.6	Continuous			-	408.8	A 10:02 P.M.						
DIVISION STREET	19.2	None				409.4							

W. L. WATLAND Chief Dispatcher T. C. WHITACRE Vice President Transportation C. J. BRYAN Vice President and General Manager

D. W. SCOTT Superintendent

TRACK OPERATED BY CHICAGO, MILWAUKEE, ST. PAUL & PACIFIC RAILROAD CO.

### DIVISION STREET TO ST. CROIX TOWER—EASTWARD

						FIRST CLASS									
		Cap in (	acity Cars			8									
STATIONS	Distance from Division	Siding	Other tracks	BN Mile Post Location	CMStP&P Mile Post Location	NRPC Passenger									
	Street					Daily									
ST. CROIX TOWER	17.7				392.1	A.M. A 7:47									
CHEMOLITE 6.3	13.6	23			396.1										
NEWPORT	7.3		79	422.2	402.5										
RED ROCK	6.2			423.4	-					1					
3.4	2.8		Yard	426.7	**	-		1 -		<del>                                     </del>	+ -				
ST. PAUL YARD	2.0		Yard	427.5						-		<del> </del>			
DAYTONS BLUFF	1.5		Yard	428.3		†				<del> </del>		+			
HOFFMAN AVE.	0.6			429.1		7:31 A.M.	<u>-</u>								
0.6 DIVISION STREET	0.0			429.7					<b>-</b>		+				

N. H. McKEGNEY Superintendent Northern Division W. F. PLATTENBERGER Asst. Vice President and General Manager H. G. TESKE Chief Dispatcher

#### SPEED RESTRICTIONS

SI EED RESTRICTIONS		
Location	Passenger Trains MPH	Freight Trains MPH
Maximum Speed	70	50
Operating against current of traffic	59	49
Trains making back-up movement on the westward track be-		
tween St. Croix tower and Division Street	20	20
All crossovers, turnouts and sidings unless otherwise specified	10	10
Westward track to lead tracks of St. Paul Yard, and through		
crossovers between eastward and westward tracks at Oakland	25	25
St. Croix Interlocking		
Eastward track	25	25
Westward track	30	25
Through turnout from eastward track to BN eastward track	30	25
Through turnout from westward track to BN westward track	30	25
Between St. Croix Tower and MP 418.25 westward track	50	40
Through Interlockings at		
Oakland	70	50
Hoffman Ave.	45	25
Division Street	30	25
Between MP 396 CMStP&P and St. Croix Tower eastward		
track	50	35
Loaded Unit Coal trains:	• •	•••
with current of traffic		35
Against current of traffic		30

#### SPECIAL INSTRUCTIONS

The two main tracks of the CMStP&P and BN Railroads between St. Croix Tower and Hoffman Ave. are used as joint tracks.

These tracks are operated as double track. Unless otherwise provided by train order, trains must keep to the left. ABS is in use between St. Croix Tower and Division Street.

Rules 251, 252, 253 and 254 are in effect — EXCEPT CTC is in use on westward track between MP 403.43 and MP 406.34 and is controlled by the train dispatcher at Newport.

Two main tracks of the CMStP&P and BN Railroads between Hoffman Ave. and Division Street are used as joint tracks. Beginning at the north, the main tracks are numbered No. 1 and No. 2 main tracks. Rules 261 and 262 are in effect between Hoffman Ave. and Division Street.

CMStP&P Automatic Block and Interlocking signal aspects and indications apply stween Newport and Division Street on westward track and between Newport and St. Croix Tower on eastward track.

BN Automatic Block and Interlocking signal aspects apply between St. Croix Tower and ewport on westward track and between Division Street and Newport on eastward track.

Train orders and clearances for the territory between Division Street and St. Croix Tower will be issued over the signature of the Chief Dispatcher of the CMStP&P Northern Division.

CMStP&P Northern Divn. officers have jurisdiction between Division Street and St. Croix Tower. Eastward trains entering the Joint CMStP&P and BN tracks between Division Street and St. Croix Tower must obtain a clearance from the train dispatcher at Newport and CMStP&P Northern Division trains operating beyond St. Croix Tower must also obtain a clearance from the train dispatcher at Milwaukee.

Eastward N.R.P.C. trains will obtain these clearances at Midway Station.

Eastward BN trains will obtain this clearance as directed in the BN Special Instructions.

Rule 83(B) does not apply at St. Croix Tower and Newport if the train order signal displays a clear indication, and does not apply at Division Street and Hoffman Ave.

Rule D-91 of the Consolidated Code of Operating Rules is modified as follows:

Where trains are to be moved against the current of traffic, following trains will not be permitted to enter the main track until it is clear of preceding trains or preceding train has cleared the next open train order office.

Stop indication must be displayed immediately after rear of a train has passed the signal, and following trains will not be permitted to enter the main track until it is clear of the preceding train.

Protection against following trains on the same track is not required of trains moving against the current of traffic. This provision does not apply to any unit of equipment which does not actuate block or cab signals, or to a work extra.

Extra trains may be operated on Eastward and Westward tracks between St. Croix Tower and Division Street with the current of traffic without train orders except eastward extra trains originating at Chemolite must obtain train order authority before entering main track

Interlockings are located at St. Croix Tower, Newport, Oakland, Hoffman Ave. and Division Street.

The former C.R.I.P. trackage between Newport and the Mississippi River Drawbridge will be operated by the Milwaukee Road in accordance with Rule 105 not to exceed 10 mph.

At Oakland, the westward train order signal does not govern trains terminating at Oakland or Daytons Bluff.

In the application of Rule 99 the prescribed distance for flag protection of front and rear of train, when flag protection is required, is as follows:

Division Street — St. Croix Tower ..... One Mile

CMStP&P Intermodal trains will not be identified as such in train orders, clearances and track car line ups between Division Street and St. Croix Tower and must not exceed freight train speed between those stations.

#### YARD LIMITS

St. Paul Yard -	
Newport	Extend from Division Street to 2500 feet east of Newport
<del>-</del>	interlocking on the westward track and from Division
	Street to 1587 feet east of Oakland on the eastward track.

Movements against the current of traffic within yard limits of Newport - St. Paul Yard must be authorized by the train dispatcher at Newport.

#### DERAILED CAR INDICATORS

When a derailed car indicator displays a steady white light, train must be stopped immediately and inspected. Protection as required by Rule 102 must be provided against movements on adjacent tracks until it is determined that it is safe for such movements to proceed. A flashing white light indicates train is OK. When light is not displayed on approach of train or engine, indicator is out of service and train inspection is not required. Second paragraph of Rule 27 then applies.

Car defect detectors are located as follows:

MP 393.6 Eastward track between Chemolite and St. Croix Tower...... Wayside